

**2009**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**19**

Charlotte County  
Town of Charlotte C.H.  
Town of Drakes Branch  
Town of Keysville  
Town of Phenix

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

---

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Mecklenburg County Line															
15 Barnesville Hwy	Charlotte County	7.39	1200	F	89%	1%	1%	1%	8%	0%	F	0.09	F	0.532	1300	F
	To: SR 92 Barnes Junction															
15 Barnesville Hwy	Charlotte County	3.24	1700	F	89%	1%	1%	1%	8%	0%	F	0.093	F	0.509	1800	F
	To: US 360 Near Wylliesburg															
15 360 Kings Hwy	Charlotte County	3.88	4500	F	81%	1%	1%	1%	14%	2%	F	0.080	F	0.539	4800	F
	To: SR 47 Krafon Gate															
15 360 Kings Hwy	Charlotte County	6.60	4100	F	75%	1%	2%	1%	20%	2%	C	0.076	F	0.537	4300	F
	To: BUS US 15 South of Keysville															
15 360 Kings Hwy	Charlotte County	3.36	3800	F	81%	1%	1%	1%	14%	2%	C	0.082	F	0.571	4100	F
	To: SR 40 Keysville															
15 360 Kings Hwy	Charlotte County	2.04	5100	G	74%	1%	2%	1%	19%	1%	C	NA		5200	G	
	To: US 360, BUS US 15 North of Keysville															
15 Farmville Hwy	Charlotte County	1.66	3300	F	90%	1%	1%	2%	6%	0%	F	0.084	F	0.62	3500	F
	To: Prince Edward County Line															
	From: US 15 S of Keysville															
Bus 15 Bus 360 Olds Kings Hwy	Charlotte County	2.93	1200	F	93%	1%	1%	1%	4%	0%	C	0.097	F	0.54	1300	F
	To: CL Keysville															
	From: CL Keysville															
Bus 15 Bus 360	Town of Keysville (Maint: 19)	0.73	1200	N	93%	1%	1%	1%	4%	0%	N	0.097	N	0.54	1300	N
	To: S SR 40															
Bus 15 Bus 360 40 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	F	93%	1%	1%	1%	4%	0%	F	0.101	F	0.565	5000	F
	To: N SR 40															
Bus 15 Bus 360 Four Locust Hwy	Town of Keysville (Maint: 19)	0.37	3900	F	93%	1%	1%	1%	4%	0%	F	0.096	F	0.554	4200	F
	To: CL Keysville															
Bus 15 Bus 360	Charlotte County	1.34	3900	N	93%	1%	1%	1%	4%	0%	N	0.096	N	0.554	4200	N
	To: US 15 N of Keysville															
	From: Campbell County Line															
40 Patrick Henry Hwy	Charlotte County	6.74	1100	F	81%	1%	1%	2%	15%	0%	C	0.092	F	0.505	1100	F
	To: WCL Phenix															
40 Phenix Main St	Town of Phenix (Maint: 19)	0.97	1100	N	81%	1%	1%	2%	15%	0%	N	0.092	N	0.505	1100	N
	To: 19-727 Washington Ave; Red House Rd															
40 Patrick Henry Hwy	Town of Phenix (Maint: 19)	0.62	1900	F	81%	1%	1%	2%	15%	0%	F	0.102	F	0.512	2000	F
	To: ECL Phenix															
40 Patrick Henry Hwy	Charlotte County	0.78	1900	N	81%	1%	1%	2%	15%	0%	N	0.102	N	0.512	2000	N
	To: 19-746 East of Phenix															
40 Patrick Henry Hwy	Charlotte County	4.38	1900	F	81%	1%	1%	2%	15%	0%	F	0.102	F	0.711	2000	F
	To: WCL Charlotte C.H.															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
		From:	WCL Charlotte C.H.															
40	David Bruce Ave	Town of Charlotte C.H. (Maint: 19)	0.98	1900	N	81%	1%	1%	2%	15%	0%	N	0.102	N	0.711	2000	N	
		To:	SR 47 Le Grande Ave															
40	47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4700	F	81%	1%	1%	2%	15%	0%	F	0.102	F	0.529	5000	F	
		To:	SR 47 Thomas Jefferson Hwy															
40	George Washington Hwy	Town of Charlotte C.H. (Maint: 19)	0.94	2100	F	81%	1%	1%	2%	15%	0%	F	0.109	F	0.547	2200	F	
		To:	ECL Charlotte C.H.															
40	George Washington Hwy	Charlotte County	7.58	2100	N	81%	1%	1%	2%	15%	0%	N	0.109	N	0.547	2200	N	
		To:	WCL Keysville															
40	Church St	Town of Keysville (Maint: 19)	0.54	2100	N	81%	1%	1%	2%	15%	0%	N	0.109	N	0.547	2200	N	
		To:	Bus US 15, Bus US 360															
40	Bus 15 Bus 360 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	F	93%	1%	1%	1%	4%	0%	F	0.101	F	0.565	5000	F	
		To:	E US 15 BUS															
40	Lunenburg Hwy	Town of Keysville (Maint: 19)	0.40	2900	F	87%	2%	2%	1%	8%	0%	F	0.085	F	0.553	3000	F	
		To:	ECL Keysville															
40	Lunenburg Hwy	Charlotte County	0.85	2900	N	87%	2%	2%	1%	8%	0%	N	0.085	N	0.553	3000	N	
		To:	Lunenburg County Line															
		From:	Mecklenburg County Line															
47	Craftons Gate Hwy	Charlotte County	2.70	1600	F	79%	1%	2%	7%	11%	0%	F	0.086	F	0.507	1600	F	
		To:	US 15 Kings Hwy															
		From:	US 15-360 Kings Hwy															
47	Graftons Gate Hwy	Charlotte County	6.55	1700	F	79%	1%	2%	7%	11%	0%	F	0.088	F	0.519	1700	F	
		To:	SCL Drakes Branch															
47		Town of Drakes Branch (Maint: 19)	2.09	1700	N	79%	1%	2%	7%	11%	0%	N	0.088	N	0.519	1700	N	
		To:	SR 59															
47		Town of Drakes Branch (Maint: 19)	0.25	2300	F	79%	1%	2%	7%	11%	0%	F	0.089	F	0.588	2400	F	
		To:	NCL Drakes Branch															
47		Charlotte County	3.03	2300	N	79%	1%	2%	7%	11%	0%	N	0.089	N	0.588	2400	N	
		To:	SCL Charlotte C.H.															
47		Town of Charlotte C.H. (Maint: 19)	0.99	2300	N	79%	1%	2%	7%	11%	0%	N	0.089	N	0.588	2400	N	
		To:	SR 40 S Thomas Jefferson Hwy; David Bruce Ave															
		From:	S SR 40															
47	40 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4700	F	81%	1%	1%	2%	15%	0%	F	0.102	F	0.529	5000	F	
		To:	N SR 40															
		From:	N SR 40 G. W. Hwy															
47	Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.98	1600	F	79%	1%	2%	7%	11%	0%	F	0.092	F	0.643	1700	F	
		To:	NCL Charlotte C.H.															
47		Charlotte County	3.47	1600	N	79%	1%	2%	7%	11%	0%	N	0.092	N	0.643	1700	N	
		To:	19-660															



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
							From: 19-660										
47	Thomas Jefferson Hwy	Charlotte County	7.02	1300	F	79%	1%	2%	7%	11%	0%	C	0.084	F	0.534	1400	F
							To: 19-649 Madisonville										
47	Thomas Jefferson Hwy	Charlotte County	2.82	1600	F	79%	1%	2%	7%	11%	0%	F	0.086	F	0.603	1600	F
							To: Prince Edward County Line										
							From: Charlotte County Line										
47	Thomas Jefferson Hwy	Charlotte County	1.59	1600	F	79%	1%	2%	7%	11%	0%	F	0.083	F	0.561	1700	F
							To: Appomattox County Line										
							From: SR 47 North of Drakes Branch										
59		Town of Drakes Branch (Maint: 19)	0.55	1400	F	93%	1%	1%	1%	4%	0%	C	0.094	F	0.524	1500	F
							To: NCL Drakes Branch										
59		Charlotte County	6.77	1400	N	93%	1%	1%	1%	4%	0%	N	0.094	N	0.524	1500	N
							To: WCL Keysville										
59		Town of Keysville (Maint: 19)	0.58	1400	N	93%	1%	1%	1%	4%	0%	N	0.094	N	0.524	1500	N
							To: SR 40 Keysville										
							From: Mecklenburg County Line										
92	JEB Stuart Hwy	Charlotte County	2.11	1900	F	94%	0%	1%	1%	4%	0%	F	0.085	F	0.56	2000	F
							To: US 15 Barnes Junction										
92	JEB Stuart Hwy	Charlotte County	3.80	1600	F	94%	0%	1%	1%	4%	0%	F	0.084	F	0.541	1700	F
							To: US 360 Kings Hwy										
92	JEB Stuart Hwy	Charlotte County	0.70	430	G								NA		440	G	
							To: Halifax County Line										
							From: Halifax County Line										
360	Kings Hwy	Charlotte County	1.73	5300	F	85%	1%	1%	1%	11%	1%	F	0.082	F	0.541	5100	F
							To: SR 92 JEB Stuart Hwy										
360	Kings Hwy	Charlotte County	4.64	3900	F	85%	1%	1%	1%	11%	1%	F	0.082	F	0.519	3800	F
							To: W US 15										
360	15 Kings Hwy	Charlotte County	3.88	4500	F	81%	1%	1%	1%	14%	2%	F	0.080	F	0.539	4800	F
							To: SR 47 Krafton Gate										
360	15 Kings Hwy	Charlotte County	6.60	4100	F	75%	1%	2%	1%	20%	2%	C	0.076	F	0.537	4300	F
							To: S US 15 BUS										
360	15 Kings Hwy	Charlotte County	3.36	3800	F	81%	1%	1%	1%	14%	2%	C	0.082	F	0.571	4100	F
							To: SR 40 Keysville										
360	15 Kings Hwy	Charlotte County	2.04	5100	G	74%	1%	2%	1%	19%	1%	C	NA		5200	G	
							To: E US 15										
360	Kings Hwy	Charlotte County	1.75	5400	F	85%	1%	1%	1%	11%	1%	F	0.074	F	0.534	5200	F
							To: Prince Edward County Line										
							From: US 15 S OF KEYSVILLE										
Bus 360	Bus 15 Olds Kings Hwy	Charlotte County	2.93	1200	F	93%	1%	1%	1%	4%	0%	C	0.097	F	0.54	1300	F
							To: CL Keysville										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 360 Bus 15	From: CL Keysville Town of Keysville (Maint: 19)	0.73	1200	N	93%	1%	1%	1%	4%	0%	N	0.097	N	0.54	1300	N
Bus 360 Bus 15 40 McDonald Rd	To: S SR 40 From: Town of Keysville (Maint: 19)	0.56	4700	F	93%	1%	1%	1%	4%	0%	F	0.101	F	0.565	5000	F
Bus 360 Bus 15 Four Locust Hwy	To: N SR 40 From: Town of Keysville (Maint: 19)	0.37	3900	F	93%	1%	1%	1%	4%	0%	F	0.096	F	0.554	4200	F
Bus 360 Bus 15	To: CL Keysville From: Charlotte County	1.34	3900	N	93%	1%	1%	1%	4%	0%	N	0.096	N	0.554	4200	N
	To: US 15 N OF KEYSVILLE															

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(F627)	0.04	10	R											NA		05/16/2006
(F628) Pur Year Rd	0.79	20	R											NA		05/16/2006
(F629) Walkers Pond Lane	0.13	10	R											NA		05/16/2006
(600) Pine Tree Rd	0.60	140	R											NA		05/31/2006
(601) Keysville Rd	0.70	50	R											NA		04/07/2009
(601) Gholson Rd	0.20	320	R											NA		04/07/2009
(601) Gholson Rd	0.70	250	R											NA		04/07/2009
(602) Barnes Rd	0.10	190	R											NA		05/23/2006
(602) Barnes Rd	0.99	100	R											NA		05/31/2006
(602) Barnes Rd	0.91	120	R											NA		05/31/2006
(603) Lindward Rd	0.50	120	R											NA		04/07/2009
(603) Lindward Rd	1.50	90	R											NA		05/23/2006
(603) Lindward Rd	0.60	50	R											NA		05/23/2006
(604) Roanoke Ridge Rd	2.83	830	F	82%	1%	1%	13%	3%	0%	C	0.098	F	0.516	880	F	2009
(604) Abilene Rd	1.50	720	R											NA		04/21/2009
(604) Abilene Rd	3.40	730	R											NA		04/21/2009
(605) Whitlow Rd	1.59	110	R											NA		05/31/2006
(605) Whitlow Rd	0.10	370	R											NA		05/31/2006
(605) Rutledge Rd	1.06	200	R											NA		05/31/2006
(605) Rutledge Rd	0.50	120	R											NA		05/31/2006
(605) Rutledge Rd	0.27	100	R											NA		05/31/2006
(606) Bacon School Rd	2.00	150	R											NA		05/09/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(606) Bacon School Rd	3.50	270	R									NA		NA		05/09/2006
(606) Bacon School Rd	0.70	700	R									NA		NA		05/23/2006
(606) Bacon School Rd	0.72	440	R									NA		NA		05/23/2006
(607) River Rd	3.06	100	R									NA		NA		04/07/2009
(607) Roanoke Station Rd	2.95	100	R									NA		NA		04/07/2009
(607) Roanoke Station Rd	2.10	370	G	96%	1%	1%	0%	2%	0%	C	NA		380	G		2009
(607) Roanoke Station Rd	1.50	140	R									NA		NA		04/07/2009
(607) Roanoke Station Rd	0.60	70	F	96%	1%	1%	0%	2%	0%	F	0.151	F	0.588	80	F	2009
(607) Jackson Vaughan Rd	0.85	210	R									NA		NA		04/07/2009
(607) Moody Creek Rd	0.70	260	R									NA		NA		04/07/2009
(607) Moody Creek Rd	1.70	90	R									NA		NA		04/07/2009
(607) West Spring Hill Rd	1.50	100	R									NA		NA		04/07/2009
(608) Rocky Branch Rd	1.46	220	F	93%	1%	0%	0%	6%	0%	F	0.111	F	0.733	240	F	2009
(608) Public Fork Rd	0.86	220	F	93%	1%	0%	0%	6%	0%	C	0.124	F	0.533	240	F	2009
(608) Tobacco Hill Rd	2.12	540	F	93%	1%	0%	0%	6%	0%	F	0.124	F		580	F	2009
(608) Tobacco Hill Rd	1.95	440	R									NA		NA		04/07/2009
(608) Salem School Rd	0.88	400	R									NA		NA		05/31/2006
(608) Atkins Rd	0.25	90	R									NA		NA		05/31/2006
(609) Robertson Rd	1.70	110	R									NA		NA		05/23/2006
(609) Robertson Rd	1.29	140	R									NA		NA		05/23/2006
(609) Robertson Rd	0.31	270	R									NA		NA		05/23/2006
(610) Carrington Rd	1.89	210	R									NA		NA		05/31/2006
(611) Hebron Church Rd	1.10	450	F	95%	2%	1%	1%	1%	0%	C	0.095	F	0.694	470	F	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(611) Hebron Church Rd	1.80	250	R								NA			NA		04/07/2009
						From: 19-634 Westview Farm Rd										
(611) Hebron Church Rd	1.20	160	R								NA			NA		04/07/2009
						From: 19-625 Mill Pond Rd										
(611) Coleman Ferry Rd	3.35	110	R								NA			NA		04/07/2009
						From: 19-607 Roanoke Station Rd										
						To: 19-608 Rocky Branch Rd										
(612) Herman Rd	2.20	460	F	93%	1%	2%	0%	4%	0%	F	0.11	F	0.575	490	F	2009
						From: 19-746 Scuffletown Rd										
(612) Herman Rd	0.69	550	F	93%	1%	2%	0%	4%	0%	C	0.107	F	0.531	580	F	2009
						From: 19-641 Mulberry Hill Rd										
(612) Herman Rd	1.10	210	R								NA			NA		04/15/2009
						From: 19-637 N, Saxkey Rd										
						To: 19-637 E, Saxkey Rd; Sylvan Hill Rd										
(612) Herman Rd	1.30	220	R								NA			NA		04/15/2009
						From: 19-613 Country Rd										
(612) Sunnyside Rd	3.20	170	R								NA			NA		04/15/2009
						From: 19-634 Westview Farm Rd										
						To: SR 47 Graftons Gate Hwy										
(613) Country Rd	2.20	180	R								NA			NA		05/09/2006
						From: 19-612 Herman Rd										
(613) Country Rd	2.70	330	R								NA			NA		05/16/2006
						From: 19-642 Mossingford Rd										
(613) Alegra Rd	4.50	160	R								NA			NA		05/23/2006
						From: SR 47 N, Graftons Gate Hwy										
						To: SR 47 S, Graftons Gate Hwy										
(614) Friend-Leigh Rd	0.50	50	R								NA			NA		05/16/2006
						From: 19-623 West Point Stephens Rd										
						To: SR 59										
(615) Lawyers Rd	1.19	990	F	97%	0%	1%	0%	2%	0%	F	0.099	F	0.511	1000	F	2009
						From: SR 59										
(615) Rolling Hill Rd	0.39	700	F	97%	0%	1%	0%	2%	0%	C	0.101	F	0.59	730	F	2009
						From: 19-727 Red House Rd										
(615) Rolling Hill Rd	0.31	690	F	97%	0%	1%	0%	2%	0%	F	0.097	F	0.516	730	F	2009
						From: 19-672 Mt Zion Rd										
(615) Rolling Hill Rd	1.25	580	F	97%	0%	1%	0%	2%	0%	F	0.109	F	0.511	610	F	2009
						From: 19-663 Bear Creek Rd										
(615) Rolling Hill Rd	2.99	440	R								NA			NA		04/06/2009
						From: 19-701 Thortons Mill Rd										
(615) Rolling Hill Rd	2.13	410	R								NA			NA		04/06/2009
						From: 19-664 Butterwood Rd										
						To: SR 47 Thomas Jefferson Hwy										
(616) Smiths Mill Rd	1.68	150	R								NA			NA		04/25/2006
						From: Campbell County Line										
(616) Whites Chapel Rd	1.00	150	R								NA			NA		04/25/2006
						From: 19-672 S, Midway Rd										
						To: 19-672 N, Midway Rd										
(616) Whites Chapel Rd	2.97	80	R								NA			NA		04/20/2006
						From: 1.00 ME 19-672										
						To: 19-727 Red House Rd										
(617) Old Well Rd	1.30	190	R								NA			NA		04/06/2009
						From: 19-672 Midway Rd										
						To: 19-762 Turkey Creek Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(617) Old Well Rd	1.70	200	R			From: 19-762 Turkey Creek Rd					NA			NA		04/06/2009
(617) Old Well Rd	1.60	210	F	89%	2%	From: 19-695 Rough Creek Rd				C	0.122	F	0.679	220	F	2009
(617) Bethel Rd	0.60	250	R			From: SR 40 Patrick Henry Hwy					NA			NA		04/25/2006
(617) Bethel Rd	2.50	200	R			From: 19-675 Tola Rd					NA			NA		04/21/2009
						To: 19-619 Cub Creek Church Rd; Aspen Wall Rd										
(618) Turnip Creek Rd	0.90	230	R			From: Campbell County Line					NA			NA		04/25/2006
						To: SR 40 Patrick Henry Hwy										
(619) Staunton Hill Rd	3.50	120	R			From: Campbell County Line					NA			NA		04/27/2009
(619) Staunton Hill Rd	3.00	170	R			From: 19-620 Clarkton Bridge Rd					NA			NA		04/27/2009
(619) Ridgeway Rd	0.50	230	R			From: 19-649 Coles Ferry Rd					NA			NA		04/28/2009
(619) Aspen Wall Rd	2.58	200	R			From: 19-678 Francisco Rd					NA			NA		04/27/2009
(619) Cub Creek Church Rd	2.29	140	R			From: 19-617 Bethel Rd					NA			NA		04/27/2009
(619) Harrisburg Rd	0.10	90	R			From: 19-649 Coles Ferry Rd					NA			NA		04/27/2009
(619) Harrisburg Rd	1.30	70	R			From: 19-648 Hannah Rd					NA			NA		04/27/2009
(619) Harrisburg Rd	1.50	80	R			From: 19-647 Adams Rd					NA			NA		04/25/2006
(619) Chandler Fork Rd	2.55	30	R			From: 19-746 Scuffletown Rd					NA			NA		05/02/2006
(619) Double Bridges Rd	3.00	50	R			From: 19-645 Carwile Springs Rd					NA			NA		04/27/2009
						To: 19-637 W, Saxkey Rd										
<b>Town of Drakes Branch</b>																
(619) Proctor St	0.41	310	F	99%	0%	From: 19-637 E, Saxkey Rd				F	0.104	F	0.514	330	F	2009
(619) Proctor St	0.56	290	F	99%	0%	From: 19-1204 Isabella St				C	0.12	F	0.5	310	F	2009
						To: SR 47 Drakes Main St										
<b>Charlotte County</b>																
(620) Clarkton Bridge Rd	2.80	30	R			From: 19-619 Staunton Hill Rd					NA			NA		04/25/2006
						To: Halifax County Line; Dead End										
(621) Floralee Rd	1.68	45	R			From: Dead End					NA			NA		04/08/2009
						To: 19-672 Midway Rd										
(622) Old Kings Rd	1.10	70	R			From: US 15 S, Kings Hwy					NA			NA		04/27/2009
(622) Old Kings Rd	1.02	320	R			From: 19-639 Towler Rd					NA			NA		04/27/2009
						To: US 15 N; Bus US 15; Gap										
(622) West Ontario Rd	1.10	340	F	94%	1%	From: US 15 Bus; Gap Kings Hwy				C	0.117	F	0.535	360	F	2009
						To: Lunenburg County Line										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Drakes Branch</b>																
(623) West Point Stevens Rd	1.07	450	F	97%	1%	1%	1%	2%	0%	C	0.135	F	0.507	480	F	2009
<b>Charlotte County</b>																
(623) West Point Stevens Rd	1.67	330	F	97%	1%	1%	1%	2%	0%	F	0.121	F	0.544	350	F	2009
(623) West Point Stephens R	3.00	310	R								NA			NA		04/22/2009
(623) West Point Stephens R	1.00	290	R								NA			NA		04/27/2009
(623) West Point Stephens R	0.70	450	R								NA			NA		04/27/2009
(623) Friendship Church Rd	1.40	250	R								NA			NA		04/27/2009
(624) Morgan Rd	1.00	230	R								NA			NA		04/07/2009
(625) Mill Pond Rd	2.30	70	R								NA			NA		04/07/2009
(626) Hatchet Rd	0.70	100	R								NA			NA		04/15/2009
(626) Hatchet Rd	0.50	120	R								NA			NA		04/15/2009
(626) Hatchet Rd	0.70	8	R								NA			NA		05/23/2006
(627) Shelton Hall Rd	1.30	160	R								NA			NA		04/07/2009
(627) Tate Mill Rd	1.90	100	R								NA			NA		04/07/2009
(628) Puryear Rd	0.50	550	R								NA			NA		04/27/2009
(629) Juniper Creek Rd	1.30	250	R								NA			NA		04/21/2009
(629) Southern Dr	0.46	240	R								NA			NA		04/21/2009
<b>Town of Keysville</b>																
(629) Southern Dr	0.24	220	R								NA			NA		05/16/2006
<b>Charlotte County</b>																
(630) Fort Mitchell Rd	1.78	280	R								NA			NA		04/27/2009
(631) Kings Cross Rd	1.00	100	R								NA			NA		05/31/2006
(631) Kings Cross Rd	1.00	200	R								NA			NA		05/31/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(631) Kings Cross Rd	1.80	150	R											NA	NA	05/31/2006
(631) Kings Cross Rd	0.30	120	R											NA	NA	05/31/2006
(632) Jones Store Rd	1.60	180	R											NA	NA	05/31/2006
(632) Jones Store Rd	4.45	90	R											NA	NA	05/31/2006
(633) Horse Horn Rd	1.70	110	R											NA	NA	05/31/2006
(633) Horse Horn Rd	1.20	190	R											NA	NA	05/31/2006
(634) Westview Farm Rd	0.30	310	R											NA	NA	05/31/2006
(634) Westview Farm Rd	2.80	260	R											NA	NA	05/09/2006
(634) Westview Farm Rd	1.40	260	R											NA	NA	05/09/2006
(635) Williams Rd	0.60	20	R											NA	NA	05/23/2006
(636) Garnette Rd	0.70	20	R											NA	NA	04/20/2006
(636) Roxabel Rd	1.10	60	R											NA	NA	05/02/2006
(637) Sylvan Hill Rd	2.99	250	F	95%	1%	1%	1%	3%	0%	F	0.119	F	0.621	260	F	2009
(637) Saxkey Rd	3.56	380	F	95%	1%	1%	1%	3%	0%	F	0.128	F	0.632	400	F	2009
(637) Saxkey Rd	2.67	630	F	95%	1%	1%	1%	3%	0%	C	0.126	F	0.542	670	F	2009
<b>Town of Drakes Branch</b>																
(637) Saxkey Rd	0.13	630	N	95%	1%	1%	1%	3%	0%	N	0.126	N	0.542	670	N	2009
(637) Saxkey Rd	0.36	780	R											NA	NA	04/21/2009
(637) Saxkey Rd	0.38	990	R											NA	NA	04/21/2009
<b>Charlotte County</b>																
(638) Wheelers Spring Rd	0.10	100	R											NA	NA	06/09/2006
(638) Wheelers Spring Rd	1.70	60	R											NA	NA	05/31/2006
(638) Wheelers Spring Rd	2.40	80	R											NA	NA	04/06/2009



Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(639) Towler Rd	1.90	200	R			From: 19-623 West Point Stephens Rd					NA			NA		05/16/2006
						To: 19-622 Old Kings Rd										
(640) Laconia Rd	1.15	50	R			From: Dead End					NA			NA		05/31/2006
(640) Laconia Rd	0.15	50	R			From: 1.15 ME Dead End					NA			NA		05/31/2006
(640) Laconia Rd	0.71	100	R			From: 19-632 Jones Store Rd					NA			NA		04/07/2009
						To: US 15 N, Barnesville Hwy										
(640) Wheatland Rd	0.20	110	R			From: US 15 S, Barnesville Hwy					NA			NA		04/07/2009
						To: Mecklenburg County Line										
(641) Mulberry Hill Rd	3.72	60	R			From: 19-607 Roanoke Station Rd; River Rd					NA			NA		04/15/2009
						To: 19-612 Herman Rd										
(642) Mossingford Rd	0.28	420	R			From: 19-746 Scuffletown Rd					NA			NA		05/02/2006
(642) Mossingford Rd	2.60	210	R			From: 19-645 Carwile Springs Rd					NA			NA		05/02/2006
(642) Mossingford Rd	1.11	340	R			From: 19-643 Brick House Rd					NA			NA		05/09/2006
						To: 19-637 S, Saxkey Rd										
(642) Mossingford Rd	2.00	190	R			From: 19-637 N, Saxkey Rd					NA			NA		05/09/2006
						To: 19-613 Country Rd										
(643) Brick House Rd	1.70	150	R			From: 19-746 Scuffletown Rd					NA			NA		05/02/2006
(643) Brick House Rd	0.57	150	R			From: 1.70 ME 19-746 Scuffletown Rd					NA			NA		05/02/2006
						To: 19-642 Mossingford Rd										
(644) Hancock Rd	0.80	310	R			From: 19-615 Lawyers Rd					NA			NA		04/06/2009
(644) Hancock Rd	0.50	260	R			From: Campbell County Line					NA			NA		04/06/2009
						To: Appomattox County Line										
(645) Carwile Springs Rd	1.10	260	R			From: 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	0.63	250	R			From: 1.10 MN 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	1.35	240	R			From: 1.73 MN 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	1.57	340	R			From: 19-619 Double Bridges Rd; Chandler Fork Rd					NA			NA		05/02/2006
(645) Evergreen Rd	0.30	460	R			From: 19-786 Dogwood Rd					NA			NA		05/23/2006
						To: WCL Charlotte CH										
<b>Town of Charlotte C.H.</b>																
(645) Evergreen Rd	0.25	510	R			From: WCL Charlotte CH					NA			NA		10/17/2000
(645) Evergreen Rd	0.48	580	R			From: 19-1106 Gold Leaf Dr					NA			NA		05/23/2006
						To: SR 40 David Bruce Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(646) Slaughter House Rd	0.75	60	R								NA			NA		04/15/2009
(647) Adams Rd	2.10	30	R								NA			NA		04/25/2006
(648) Hannah Rd	3.29	30	R								NA			NA		05/02/2006
(648) Hannah Rd	2.29	20	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	2.00	50	R								NA			NA		04/27/2009
(649) Coles Ferry Rd	1.80	10	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	0.50	100	R								NA			NA		04/27/2009
(649) Coles Ferry Rd	0.62	50	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	0.30	50	R								NA			NA		04/25/2006
(649) Coles Ferry Rd	2.16	40	R								NA			NA		04/25/2006
(649) Coles Ferry Rd	1.01	90	R								NA			NA		04/25/2006
(649) Fears Town Rd	2.50	220	R								NA			NA		04/21/2009
(649) Fearstown Rd	2.50	370	F	88%	1%	0%	1%	10%	0%	C	0.11	F	0.546	390	F	2009
(649) Germantown Rd	3.00	440	R								NA			NA		04/08/2009
(649) Germantown Rd	1.57	330	R								NA			NA		04/08/2009
(649) Crawley Rd	0.70	80	R								NA			NA		04/08/2009
(649) Crawley Rd	3.84	180	R								NA			NA		04/08/2009
(650) Hill Cross Rd	2.36	80	R								NA			NA		05/10/2006
(650) Hill Cross Rd	1.15	180	R								NA			NA		05/10/2006
(650) Hill Cross Rd	3.58	190	R								NA			NA		05/10/2006
<b>Town of Charlotte C.H.</b>																
(650) Woodfork Rd	1.12	210	R								NA			NA		05/23/2006
<b>Charlotte County</b>																
(651) Morton Rd	1.49	170	R								NA			NA		04/21/2009

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(651) Country Club Rd	1.70	60	R								NA			NA		05/10/2006
(651) Mt Harmony Rd	0.80	80	R								NA			NA		04/21/2009
(651) Whitehead Rd	1.40	130	R								NA			NA		04/21/2009
(651) Country Club Rd	0.56	140	F	96%	1%	1%	1%	1%	0%	C	0.123	F	0.591	150	F	2009
(652) Eureka Mill Rd	1.64	60	R								NA			NA		05/16/2006
(652) Eureka Mill Rd	0.66	90	R								NA			NA		05/16/2006
(652) Briery Rd	2.20	230	R								NA			NA		04/21/2009
(652) Briery Rd	0.60	300	R								NA			NA		04/21/2009
(653) Maple Rd	1.60	220	R								NA			NA		05/16/2006
(653) Maple Rd	1.20	60	R								NA			NA		05/31/2006
(654) Eureka School Rd	2.23	260	R								NA			NA		04/27/2009
(654) Mt Harmony Rd	3.70	230	R								NA			NA		04/21/2009
(654) Crab Orchard Rd	0.75	190	R								NA			NA		04/21/2009
(654) Crab Orchard Rd	1.45	310	R								NA			NA		04/21/2009
(655) Bethlehem Rd	1.91	170	R								NA			NA		05/10/2006
(655) Bethlehem Rd	1.70	270	R								NA			NA		05/10/2006
(656) Greenfield Rd	2.50	60	R								NA			NA		05/10/2006
(657) Bradner Rd	0.80	90	R								NA			NA		05/10/2006
(658) Welsh Tract Rd	4.41	290	R								NA			NA		05/10/2006
(659) McCoys Shop Rd	0.60	160	R								NA			NA		05/10/2006
(660) Virginia Rd	1.55	140	R								NA			NA		04/27/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(660) Taro Rd	3.10	290	R									NA		NA		04/08/2009
(660) Taro Rd	0.80	160	R									NA		NA		04/08/2009
(661) Wards Fork Mill Rd	5.12	200	R									NA		NA		05/10/2006
(662) Tower Loop Rd	0.50	80	R									NA		NA		05/09/2006
(663) Bear Creek Rd	3.80	110	R									NA		NA		04/06/2009
(664) Butterwood Rd	1.70	150	R									NA		NA		04/06/2009
(664) Butterwood Rd	1.30	60	R									NA		NA		05/09/2006
(665) Harvey Rd	3.47	210	R									NA		NA		05/09/2006
(666) Vincent Store Rd	1.36	330	R									NA		NA		04/06/2009
(666) Vincent Store Rd	2.75	420	R									NA		NA		04/06/2009
(667) Hillcroft Rd	3.17	120	R									NA		NA		04/06/2009
<b>Town of Phenix</b>																
(668) Stockdale Rd	0.09	50	R									NA		NA		04/06/2009
(668) Stockdale Rd	0.26	20	R									NA		NA		04/20/2006
<b>Charlotte County</b>																
(668) Stockdale Rd	1.95	30	R									NA		NA		05/23/2006
(669) Sandy Creek Rd	0.50	60	R									NA		NA		05/01/2006
(669) Sandy Creek Rd	0.28	80	R									NA		NA		05/01/2006
(670) Poindexter Rd	0.80	30	R									NA		NA		04/25/2006
(671) County Line Rd	1.88	180	F	87%	2%	1%	9%	1%	0%	C	0.1	F	0.619	190	F	2009
(671) County Line Rd	1.10	30	F	87%	2%	1%	9%	1%	0%	F	NA			30	F	2009
(671) County Line Rd	4.92	230	F	87%	2%	1%	9%	1%	0%	F	0.159	F	0.659	240	F	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(672) Mt Carmel Rd	2.10	430	R			From: 19-678 Aspen Rd; Francisco Rd					NA			NA		04/25/2006
(672) Mt Caramel Rd	1.60	480	F	98%	1%	0%	1%	0%	0%	C	0.099	F	0.558	500	F	2009
(672) Midway Rd	1.30	360	F	98%	1%	0%	1%	0%	0%	F	0.116	F	0.659	380	F	2009
(672) Midway Rd	7.30	270	F	98%	1%	0%	1%	0%	0%	F	0.117	F	0.543	290	F	2009
(672) Mt Zion Rd	1.20	210	R			From: 19-727 Red House Rd					NA			NA		04/25/2006
(673) Cedar Grove Rd	0.50	60	R			From: Dead End					NA			NA		04/25/2006
(674) Jordans Gate School Rd	1.30	150	R			From: 19-672 Midway Rd					NA			NA		04/25/2006
(675) Tola Rd	0.87	210	R			From: 19-617 Bethel Rd					NA			NA		04/25/2006
(675) Tola Rd	0.80	210	R			From: 19-676 Poor House Rd					NA			NA		05/01/2006
<b>Town of Phenix</b>																
(675) Tola Rd	0.60	410	R			From: SCL Phenix					NA			NA		07/17/2000
<b>Charlotte County</b>																
(676) Poor House Rd	1.10	110	R			From: 19-675 Tola Rd					NA			NA		04/25/2006
(677) Red Hill Rd	1.10	120	R			From: Dead End					NA			NA		05/02/2006
(678) Ridgeway Rd	0.45	90	R			From: Dead End					NA			NA		04/27/2009
(678) Ridgeway Rd	1.20	160	R			From: 19-649 S, Coles Ferry Rd					NA			NA		04/27/2009
(678) Ridgeway Rd	0.80	340	R			From: 19-649 N, Coles Ferry Rd					NA			NA		04/27/2009
(678) Francisco Rd	0.60	300	F	98%	1%	0%	1%	0%	0%	C	0.108	F	0.639	320	F	2009
(678) Aspen Rd	3.10	110	F	98%	1%	0%	1%	0%	0%	F	0.179	F	0.522	110	F	2009
(679) Bailey Farm Rd	2.80	80	R			From: 19-724 Col Smith Rd					NA			NA		04/15/2009
(680) Crymes Orchard Rd	1.41	230	R			From: 19-619 Aspen Wall Rd; Ridgeway Rd					NA			NA		04/21/2009
(681) Moon Rd	1.30	150	R			From: 19-619 Aspen Wall Rd					NA			NA		04/25/2006
						From: 19-672 Mt Carmel Rd										
						From: SR 40 Patrick Henry Hwy										
						From: 19-634 Westview Farm Rd										
						From: 19-606 Bacon School Rd										
						From: Bus US 15										
						From: 19-652 Briery Rd										
						From: 19-672 Midway Rd										
						From: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(682) Womacks Loop Rd	0.10	290	R				From: 19-649 Fearstown Rd					NA		NA		04/21/2009
							To: SR 40 Patrick Henry Hwy									
(683) Otter Creek Rd	0.25	120	R				From: 19-686 Roseland Rd					NA		NA		04/07/2009
							To: Mecklenburg County Line									
(684) Quarter Horse Rd	1.70	110	R				From: US 15 Kings Hwy					NA		NA		05/23/2006
							To: 19-603 Lindward Rd									
(685) S Berles Creek Rd	0.50	50	R				From: 19-608 Public Fork Rd					NA		NA		04/07/2009
							To: US 360 W, Kings Hwy									
(685) N Berles Creek Rd	0.65	30	R				From: US 360 E, Kings Hwy					NA		NA		05/31/2006
							To: 19-607 Roanoke Station Rd									
(686) Roseland Rd	0.40	200	R				From: 19-602; 19-609					NA		NA		05/31/2006
							To: 19-683 Otter Creek Rd									
(686) Roseland Rd	0.80	100	R				From: 19-607 West Spring Hill Rd					NA		NA		05/23/2006
							To: Dead End									
(687) Mt Mitchell Rd	1.00	210	R				From: Dead End					NA		NA		05/23/2006
							To: 19-630 Fort Mitchell Rd									
(687) Mt Mitchell Rd	0.20	30	R				From: 19-630 Fort Mitchell Rd					NA		NA		05/23/2006
							To: Dead End									
(688) Blue Stone Rd	0.52	90	R				From: Dead End					NA		NA		05/16/2006
							To: 19-754 Harmony Rd									
(688) Blue Stone Rd	0.38	130	R				From: 19-754 Harmony Rd					NA		NA		04/21/2009
							To: WCL Keysville									
<b>Town of Keysville</b>																
(688) Blue Stone Rd	0.07	160	R				From: WCL Keysville					NA		NA		04/21/2009
							To: SR 40 Church St; George Washington Hwy									
<b>Charlotte County</b>																
(689) Carwile Rd	0.60	30	R				From: SR 47 Thomas Jefferson Hwy					NA		NA		05/09/2006
							To: 19-649 Crawley Rd									
(690) Little Retreat Rd	0.50	30	R				From: Dead End					NA		NA		05/31/2006
							To: 0.50 ME Dead End									
(690) Little Retreat Rd	0.03	80	R				From: 0.50 ME Dead End					NA		NA		05/31/2006
							To: US 15 Barnesville Hwy									
(691) Tower Rd	1.20	70	R				From: 19-638 Wheelers Spring Rd					NA		NA		04/20/2006
							To: 19-701 Thortons Mill Rd									
(691) Tower Rd	3.00	100	R				From: 19-701 Thortons Mill Rd					NA		NA		04/06/2009
							To: Prince Edward County Line									
<b>Prince Edward County</b>																
(691) Tower Rd	0.10	100	N				From: Charlotte County Line					NA		NA		04/06/2009
							To: SR 47 Thomas Jefferson Hwy									
<b>Charlotte County</b>																
(692) Wpa Rd	0.70	250	R				From: SR 47 Graftons Gate Hwy					NA		NA		04/27/2009
							To: 19-623 West Point Stevens Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(693) Terrell Rd	2.80	90	R			From: 19-619 Staunton Hill Rd					NA			NA		04/27/2009
						To: 19-672 Mt Carmel Rd										
(694) Pillow Rd	0.10	160	R			From: 19-672 Midway Rd					NA			NA		04/06/2009
						To: 19-617 Old Well Rd										
(695) Rough Creek Rd	2.80	60	R			From: 19-617 Old Well Rd					NA			NA		05/09/2006
						To: 19-727 Red House Rd										
(696) Corner Rd	0.10	20	R			From: 19-665 Harvey Rd					NA			NA		05/09/2006
						To: 19-703 Mapleton Rd										
(696) Corner Rd	0.15	20	R			From: SR 47 Thomas Jefferson Hwy					NA			NA		05/09/2006
						To: SR 47 S, Thomas Jefferson Hwy										
(697) Dixon Rd	0.10	60	R			From: SR 47 S, Thomas Jefferson Hwy					NA			NA		04/27/2009
						To: 0.10 MN SR 47 Thomas Jefferson Hwy										
(697) Dixon Rd	0.41	30	R			From: SR 47 N, Thomas Jefferson Hwy					NA			NA		04/27/2009
						To: SR 47 N, Thomas Jefferson Hwy										
(698) Greenview Rd	0.90	70	R			From: Dead End					NA			NA		04/07/2009
						To: 19-746 Scuffletown Rd										
(699) Deer Rd	0.80	80	R			From: Dead End					NA			NA		04/06/2009
						To: SR 47 Thomas Jefferson Hwy										
(700) Hamlet Rd	1.40	160	R			From: Dead End					NA			NA		04/25/2006
						To: 19-727 Red House Rd										
(701) Thortons Mill Rd	1.55	150	R			From: 19-615 Rolling Hill Rd					NA			NA		04/25/2006
						To: 19-736 Hunters Rd										
(701) Thortons Mill Rd	1.35	60	R			From: 19-691 Tower Rd					NA			NA		04/25/2006
						To: 19-633 Horse Horn Rd										
(702) Arbor Rd	0.50	40	R			From: Dead End					NA			NA		05/31/2006
						To: Dead End										
(703) Mapleton Rd	0.70	30	R			From: Dead End					NA			NA		05/09/2006
						To: 19-696 Corner Rd										
(704) Nollie Rd	0.57	10	R			From: 19-727 S, Red House Rd					NA			NA		05/09/2006
						To: 19-727 N, Red House Rd										
(705) Mosley Ferry Rd	0.50	230	R			From: Dead End					NA			NA		05/31/2006
						To: SR 92 JEB Stuart Hwy										
(706) Alberts Rd	0.60	30	R			From: SR 40 Patrick Henry Hwy					NA			NA		04/08/2009
						To: 19-669 Sandy Creek Rd										
(707) Waddell-Nelson Rd	0.72	50	R			From: 19-671 W, County Line Rd					NA			NA		05/10/2006
						To: 0.72 ME 19-671 County Line Rd										
(707) Waddell-Nelson Rd	1.48	100	R			From: 19-760 Station Rd					NA			NA		05/10/2006
						To: 19-760 Station Rd										
(707) Waddell-Nelson Rd	0.17	150	R			From: 73-671 E, County Line Rd					NA			NA		04/27/2009
						To: 73-671 E, County Line Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
708 Micajah Rd	0.60	60	R								NA		NA			04/25/2006
<b>Town of Charlotte C.H.</b>																
709 Union Cemetery Rd	0.48	1300	F	89%	1%	1%	7%	2%	0%	C	0.103	F	0.585	1400	F	2009
<b>Charlotte County</b>																
709 Union Cemetery Rd	0.95	950	F	89%	1%	1%	7%	2%	0%	F	0.107	F	0.533	1000	F	2009
709 Union Cemetery Rd	1.32	580	F	89%	1%	1%	7%	2%	0%	F	0.121	F	0.539	610	F	2009
710 Oak Hill Rd	1.35	50	R								NA		NA			04/27/2009
710 Oak Hill Rd	2.80	100	R								NA		NA			04/27/2009
711 Carden Rd	1.00	80	R								NA		NA			04/25/2006
<b>Town of Keysville</b>																
712 Church St	1.02	710	R								NA		NA			04/21/2009
<b>Charlotte County</b>																
712 Horseshoe Bend Rd	1.22	210	R								NA		NA			04/27/2009
712 Horseshoe Bend Rd	0.65	110	R								NA		NA			04/27/2009
712 Horseshoe Bend Rd	1.59	490	R								NA		NA			04/27/2009
713 Deuprees Store Rd	0.35	90	R								NA		NA			04/15/2009
713 Deuprees Store Rd	1.20	120	R								NA		NA			04/15/2009
<b>Town of Keysville</b>																
714 Railroad Ave	0.10	450	R								NA		NA			04/21/2009
714 Railroad Ave	0.02	320	R								NA		NA			04/21/2009
715 J St	0.06	2	R								NA		NA			05/02/2006
715 J St	0.07	530	R								NA		NA			05/02/2006
716 Farrar St	0.35	630	R								NA		NA			05/02/2006
716 Farrar St	0.20	270	R								NA		NA			05/02/2006



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(717) Wright Rd	0.45	100	R											NA		05/16/2006
<b>Town of Keysville</b>																
(718) H St	0.08	870	R											NA		05/02/2006
<b>Charlotte County</b>																
(719) Sublett Place Rd	0.50	60	R											NA		04/25/2006
(720) Price Rd	0.65	60	R											NA		05/09/2006
(721) Pugh Rd	0.80	70	R											NA		05/09/2006
<b>Town of Keysville</b>																
(722) Spaulding Ave	0.07	400	R											NA		05/16/2006
(722) Spaulding Ave	0.05	1000	R											NA		05/16/2006
<b>Charlotte County</b>																
(723) Cedar Tavern Rd	1.00	70	R											NA		04/25/2006
(724) Col Smith Rd	1.00	60	R											NA		04/25/2006
(725) Point Rd	0.13	49	R											NA		05/09/2006
(726) Lockett Rd	1.80	80	R											NA		05/31/2006
<b>Town of Phenix</b>																
(727) Washington Ave.	0.28	1300	F	96%	1%	2%	1%	1%	0%	F	0.149	F	0.542	1300	F	2009
<b>Charlotte County</b>																
(727) Red House Rd	4.02	1300	N	96%	1%	2%	1%	1%	0%	N	0.149	N	0.542	1300	N	2009
(727) Red House Rd	4.03	650	F	96%	1%	2%	1%	1%	0%	F	0.101	F	0.561	690	F	2009
(727) Red House Rd	1.37	910	F	96%	1%	2%	1%	1%	0%	F	0.095	F	0.623	950	F	2009
(727) Red House Rd	0.94	1300	F	96%	1%	2%	1%	1%	0%	C	0.096	F	0.643	1300	F	2009
(728) Parsons Rd	0.45	60	R											NA		05/19/2006
(729) Maloneys Shop Rd	0.60	60	R											NA		04/25/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(730) Shiloh Church Rd	0.15	170	R									NA		NA		05/15/2009
(730) Shiloh Church Rd	0.04	60	R									NA		NA		04/15/2009
(730) Shiloh Church Rd	1.21	40	R									NA		NA		04/15/2009
<b>Town of Keysville</b>																
(731) Pettus St	0.07	100	F	86%	1%	0%	2%	11%	0%	C	0.127	F	0.6	100	F	2009
<b>Charlotte County</b>																
(732) Dickerson Rd	0.75	50	R									NA		NA		05/09/2006
(733) Ford Rd	0.58	30	R									NA		NA		05/09/2006
(734) Trents Cemetery Rd	0.80	50	R									NA		NA		04/25/2006
<b>Town of Keysville</b>																
(735) Pecan St	0.08	70	R									NA		NA		04/21/2009
(735) Pecan St	0.02	10	R									NA		NA		04/21/2009
<b>Charlotte County</b>																
(736) Hunters Rd	0.90	80	R									NA		NA		04/20/2006
(737) Tatem Rd	0.30	120	R									NA		NA		05/02/2006
(738) Ferguson Rd	0.22	40	R									NA		NA		05/10/2006
<b>Town of Keysville</b>																
(739) Wilson St	0.12	140	R									NA		NA		05/02/2006
<b>Charlotte County</b>																
(740) Old Forty-Seven Rd	0.33	90	R									NA		NA		05/16/2006
(741) Roanoke Creek Rd	0.25	60	R									NA		NA		05/09/2006
(742) Duffey Rd	0.55	90	R									NA		NA		05/31/2006
(743) Shady Oaks Rd	0.50	100	R									NA		NA		05/16/2006
(744) Elam Rd	0.55	50	R									NA		NA		05/23/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(745) Forest Trail Rd	0.20	60	R								NA		NA			05/16/2006
(746) Scuffletown Rd	6.34	710	F	90%	1%	1%	1%	7%	0%	C	0.103	F	0.578	750	F	2009
(746) Scuffletown Rd	3.76	520	F	90%	1%	1%	1%	7%	0%	F	0.113	F	0.513	560	F	2009
(746) Scuffletown Rd	2.08	470	F	90%	1%	1%	1%	7%	0%	F	0.122	F	0.507	500	F	2009
(747) Seamster Rd	0.80	70	R								NA		NA			04/25/2006
(748) Deaner Rd	0.35	10	R								NA		NA			04/25/2006
(749) Hills Creek Rd	0.25	60	R								NA		NA			05/10/2006
(750) New Town Rd	1.10	60	R								NA		NA			05/02/2006
(751) St Louis Rd	0.90	100	R								NA		NA			05/23/2006
(752) Azalea Rd	0.70	160	R								NA		NA			04/06/2009
(753) Pump Handle Rd	0.30	20	R								NA		NA			04/25/2006
(754) Harmony Rd	0.40	50	R								NA		NA			05/02/2006
(755) Legion Rd	0.15	8	R								NA		NA			05/02/2006
(756) Wren Rd	1.80	90	R								NA		NA			04/08/2009
<b>Town of Keysville</b>																
(757) Osborne St	0.03	350	R								NA		NA			04/21/2009
(757) Osborne St	0.42	280	F	98%	1%	1%	0%	0%	0%	C	0.126	F	0.585	290	F	2009
(757) Osborne St	0.14	310	R								NA		NA			04/21/2009
(758) I St	0.11	30	F	98%	1%	1%	0%	0%	0%	F	NA		30	F	2009	
(758) I St	0.09	120	F	98%	1%	1%	0%	0%	0%	C	0.178	F	0.579	120	F	2009
(758) I St	0.09	420	R								NA		NA			04/21/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(759) Hailey Rd	0.12	160	R													05/09/2006
(760) Station Rd	0.18	45	R													05/10/2006
(761) Inge Rd	0.85	30	R													05/09/2006
(762) Turkey Creek Rd	3.25	110	R													04/20/2006
(763) Able Rd	0.70	60	R													05/23/2006
(764) Kennedy Rd	0.45	70	R													05/31/2006
<b>Town of Keysville</b>																
(765) Arvin St	0.05	200	R													05/02/2006
(765) Front St	0.15	160	F	98%	1%	0%	0%	1%	0%	F	0.118	F	0.583	170	F	2009
(765) Front St	0.15	150	F	98%	1%	0%	0%	1%	0%	C	0.153	F	0.586	160	F	2009
<b>Charlotte County</b>																
(766) Fernado Rd	0.40	50	R													04/25/2006
(767)	0.02	NA														
(768)	0.02	NA														
<b>Town of Keysville</b>																
(769) Mary Knoll Lane	0.23	100	R													05/16/2006
<b>Charlotte County</b>																
(770) Sawmill Rd	0.35	110	R													05/23/2006
<b>Town of Keysville</b>																
(771) Shaw Dr	0.10	80	R													05/02/2006
(771) Shaw Dr	0.10	10	R													05/02/2006
<b>Charlotte County</b>																
(772) Hill Ave	0.05	90	F	99%	0%	0%	1%	0%	0%	F	0.17	F	0.636	100	F	2009
(772) Hill Ave	1.59	230	F	99%	0%	0%	1%	0%	0%	F	0.132	F	0.536	240	F	2009

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Keysville</b>																
(772) Hill Ave	0.38	230	N	99%	0%	From: SCL Keysville				N	0.132	N	0.536	240	N	2009
(772) Railroad Ave	0.10	510	F	99%	0%	From: 19-757 W, Osborne St				C	0.105	F	0.621	540	F	2009
						To: Bus US 15										
(773) Priddy St	0.05	90	R			From: 19-774 Priddy St					NA			NA		04/21/2009
						To: SR 59										
(774) Priddy St	0.16	40	R			From: 19-826 Merry Oakes Lane					NA			NA		04/21/2009
						To: 19-773 Priddy St										
<b>Charlotte County</b>																
(775) Moldavia Rd	0.25	50	R			From: Dead End					NA			NA		04/27/2009
(775) Dabbs Bridge Rd	0.45	40	R			From: 19-709 Union Cemetery Rd					NA			NA		04/20/2006
						To: Dead End										
<b>Town of Keysville</b>																
(776) Mary Ave	0.04	190	R			From: SR 59					NA			NA		05/02/2006
						To: 19-772 Hill Ave										
<b>Charlotte County</b>																
(777) Candy Rd	0.45	60	R			From: Dead End					NA			NA		04/07/2009
						To: 19-746 Scuffletown Rd										
(778) Coppermine Rd	0.50	60	R			From: Dead End					NA			NA		05/16/2006
						To: 19-772 Hill Ave										
(779) Jacksonville Rd	0.40	80	R			From: Dead End					NA			NA		05/02/2006
						To: 19-746 Scuffletown Rd										
(780) Sunset	0.20	20	R			From: Dead End					NA			NA		05/10/2006
						To: 19-654 Crab Orchard Rd										
<b>Town of Keysville</b>																
(781) Pine Haven St	0.09	60	R			From: Dead End					NA			NA		05/16/2006
						To: SR 40 Lunenburg Hwy										
<b>Charlotte County</b>																
(782) Walton Rd	0.63	140	R			From: Dead End					NA			NA		04/27/2009
						To: SR 40 George Washington Hwy										
(783) Ulrich Plt (Plantation) R	0.30	50	R			From: Dead End					NA			NA		05/09/2006
						To: 19-727 Red House Rd										
(784) Scott Rd	0.90	170	R			From: Dead End					NA			NA		05/16/2006
						To: 19-613 Country Rd										
(785) Barrett Rd	0.75	60	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Midway Rd										
(786) Dogwood Rd	0.60	180	R			From: Dead End					NA			NA		05/23/2006
						To: 19-645 Evergreen Rd; Carwile Springs Rd										
<b>Town of Keysville</b>																
(787) Keysville Main St	0.09	90	R			From: 19-716 Farrar St					NA			NA		05/02/2006
						To: 19-796 Shadow Lane										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Keyesville</b>																
(787) Keyesville Main St	0.05	2	R			From: 19-796 Shadow Lane					NA			NA		05/02/2006
						To: Dead End										
<b>Charlotte County</b>																
(788) Carys Shop Rd	0.40	70	R			From: SR 47 Graftons Gate Hwy					NA			NA		05/23/2006
						To: Dead End										
<b>Town of Keyesville</b>																
(789) Pecan St	0.06	80	R			From: Dead End					NA			NA		04/21/2009
						To: 19-735 Pecan St										
<b>Charlotte County</b>																
(790) Rosa Rd	0.50	60	R			From: Dead End					NA			NA		04/25/2006
						To: 19-678 Aspen Rd										
(791) Thompson Blvd	0.22	60	R			From: SR 59					NA			NA		05/16/2006
						To: Dead End										
(792) Trainview Rd	0.60	70	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Mt Carmel Rd										
(793) Trails End Rd	0.70	130	R			From: Dead End					NA			NA		05/09/2006
						To: SR 47 Thomas Jefferson Hwy										
(794) Jenkins Creek Rd	0.40	50	R			From: Dead End					NA			NA		05/09/2006
						To: 19-649 Crawley Rd										
<b>Town of Keyesville</b>																
(795) Arvin Rd	0.08	60	R			From: Dead End					NA			NA		05/02/2006
						To: 19-765 Arvin St										
(796) Shadow Lane	0.08	150	R			From: Bus US 15					NA			NA		04/21/2009
						To: 19-787 Keyesville Main St										
(796) Shadow Lane	0.12	100	R			From: Dead End					NA			NA		04/21/2009
						To: 19-771 Shaw Dr										
<b>Charlotte County</b>																
(797) Jackson Court Rd	0.20	140	R			From: US 360 Kings Hwy					NA			NA		04/27/2009
						To: Dead End										
(798) Community Rd	0.10	140	R			From: 19-606 Bacon School Rd					NA			NA		04/15/2009
						To: Dead End										
(799) Ccc Rd	0.41	90	R			From: Dead End					NA			NA		05/23/2006
						To: 19-623 West Point Stephens Rd										
(800) Hook Rd	0.30	49	R			From: Dead End					NA			NA		04/27/2009
						To: 73-664; Pr Ed CL										
(800) Hook Rd	0.44	140	R			From: Dead End					NA			NA		04/27/2009
						To: 19-671 County Line Rd										
(801) Pump Rd	0.08	10	R			From: Dead End					NA			NA		04/25/2006
						To: 19-753 Pump Handle Rd										
(801) Pump Rd	0.67	60	R			From: Dead End					NA			NA		04/25/2006
						To: Campbell County Line										

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Charlotte County</b>																
(802) Horsepen Creek Lane	0.19	70	R			From: 19-699 Deer Rd					NA			NA		05/09/2006
						To: Dead End										
(804) Roanoke Bridge Rd	0.25	40	R			From: 19-604 W, Roanoke Ridge Rd					NA			NA		04/21/2009
						To: 19-604 E, Roanoke Ridge Rd										
(805) Pulliam Farm Rd	0.21	70	R			From: Dead End					NA			NA		04/15/2009
						To: 19-606 Bacon School Rd										
(807) Eubanks Rd	0.30	60	R			From: Dead End					NA			NA		05/31/2006
						To: US 15 Barnesville Hwy										
(810) Hare Rd	0.50	50	R			From: Dead End					NA			NA		05/31/2006
						To: 19-608 Rocky Branch Rd										
(815) Canary Lane	0.06	40	R			From: US 15 Barnesville Hwy					NA			NA		05/23/2006
						To: Cul-de-Sac										
(820) Pine Crest Rd	0.34	80	R			From: US 15 Farmville Hwy					NA			NA		05/16/2006
						To: Dead End										
<b>Town of Keysville</b>																
(823) June Lane	0.10	90	R			From: Bus US 15					NA			NA		04/20/2006
						To: 19-824 Leisure Dr										
(824) Leisure Dr	0.15	20	R			From: Dead End					NA			NA		04/20/2006
						To: 19-823 June Lane										
(825) Merry Oaks Lane	0.35	20	R			From: 19-826 Merry Oaks Lane					NA			NA		05/02/2006
						To: SR 59										
<b>Charlotte County</b>																
(826) Merry Oaks Lane	0.04	30	R			From: 19-825 Merry Oaks Lane					NA			NA		05/02/2006
						To: WCL Keysville										
<b>Town of Keysville</b>																
(826) Merry Oaks Lane	0.10	30	R			From: WCL Keysville					NA			NA		05/02/2006
						To: SR 59										
<b>Charlotte County</b>																
(830) Dat Rd	0.30	30	R			From: 19-645 Carwile Springs Rd					NA			NA		05/02/2006
						To: Dead End										
<b>Town of Phenix</b>																
(1001) Lincoln St	0.43	80	R			From: Dead End					NA			NA		04/08/2009
						To: 19-1007 Chester St										
(1001) Lincoln St	0.07	210	R			From: SR 40; 19-675					NA			NA		04/08/2009
						To: SR 40; 19-675										
(1002) Charlotte Ave	0.14	290	R			From: SR 40; 19-675					NA			NA		04/08/2009
						To: 19-1005 Park St										
(1003) Virginia Ave	0.07	60	R			From: SR 40 Patrick Henry Hwy					NA			NA		04/08/2009
						To: 19-1004 Church St Keysville										
(1003) Virginia Ave	0.07	70	R			From: 19-1004 Church St Keysville					NA			NA		04/08/2009
						To: 19-1005 Park St										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Phenix</b>																
1003 Virginia Ave	0.06	30	R				19-1005 Park St				NA			NA		05/01/2006
							19-1006 Randolph St									
1004 Church St (Keysville)	0.23	50	R				Dead End				NA			NA		04/08/2009
1004 Church St (Keysville)	0.09	50	R				19-727 Washington Ave; Red House Rd				NA			NA		04/08/2009
1004 Church St (Keysville)	0.08	50	R				19-1003 Virginia Ave				NA			NA		05/01/2006
1004 Church St (Keysville)	0.09	20	R				19-1013 Florida Ave				NA			NA		05/01/2006
							Dead End									
1005 Park St	0.09	20	R				Dead End				NA			NA		04/08/2009
1005 Park St	0.09	47	R				19-1002 Charlotte Ave				NA			NA		04/08/2009
1005 Park St	0.16	70	R				19-727 Washington Ave; Red House Rd				NA			NA		04/08/2009
							Dead End									
1006 Randolph St	0.15	50	R				Dead End				NA			NA		05/01/2006
1006 Randolph St	0.21	140	R				0.15 ME Dead End				NA			NA		05/01/2006
1006 Randolph St	0.04	20	R				19-727 Gap Dead End; Gap				NA			NA		05/01/2006
							19-1003 Virginia Ave									
1007 Chester St	0.09	110	R				19-1001 Lincoln St				NA			NA		04/08/2009
							19-1008 Chester St									
1008 Chester St	0.07	290	R				19-1007 Chester St				NA			NA		04/08/2009
							SR 40; 19-727									
1009 Kentucky Ave	0.05	6	R				Dead End				NA			NA		05/01/2006
							19-675 Tola Rd									
1010 Halifax St	0.05	45	R				Dead End				NA			NA		04/08/2009
1010 Halifax St	0.19	60	R				0.05 ME Dead End				NA			NA		05/01/2006
							19-727 Red House Rd									
1011 Pennsylvania Ave	0.07	20	R				19-675 Tola Rd				NA			NA		04/08/2009
1011 Pennsylvania Ave	0.07	40	R				SR 40 Phenix Main St				NA			NA		04/08/2009
							19-1004 Church St Keysville									
1012 Florida Ave	0.05	40	R				SR 40 Patrick Henry Hwy				NA			NA		05/01/2006
							19-1013 Florida Ave									
1013 Florida Ave	0.06	20	R				19-1012 Florida Ave				NA			NA		05/01/2006
							19-1004 Church St Keysville									
<b>Town of Charlotte C.H.</b>																
1101 Watkins Dr	0.34	120	R				Dead End				NA			NA		05/23/2006
							SR 47									



Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Charlotte C.H.</b>																
(1102) Chestnut Ln	0.11	30	R				From: SR 47 Thomas Jefferson Hwy					NA		NA		04/21/2009
							To: Dead End									
(1103) Patrick Henry Ave	0.56	130	R				From: SR 47 Thomas Jefferson Hwy					NA		NA		04/21/2009
							To: SR 40 George Washington Hwy									
(1104) Morrison Grove Dr	0.19	60	R				From: Dead End					NA		NA		04/21/2009
							To: 19-709 Union Cemetery Rd									
(1105) Wilfan Dr	0.06	90	R				From: 19-1103 Patrick Henry Ave					NA		NA		04/20/2006
							To: Dead End									
(1106) Gold Leaf Dr	0.50	190	R				From: Dead End					NA		NA		05/23/2006
							To: 19-645 Evergreen Rd									
(1107) Twin Oaks Dr	0.09	50	R				From: SR 40 George Washington Hwy					NA		NA		04/21/2009
							To: 19-1103 Patrick Henry Ave									
(1108) Dixie Youth Dr	0.19	160	R				From: Dead End					NA		NA		05/23/2006
							To: SR 40 George Washington Hwy									
(1109) Carey Dr	0.25	70	R				From: 19-709 Union Cemetery Rd					NA		NA		04/21/2009
							To: Dead End									
(1110) Moses Dr	0.15	70	R				From: Dead End					NA		NA		04/21/2009
							To: SR 47 Thomas Jefferson Hwy									
(1111) Statesman Dr	0.65	570	R				From: SR 40 David Bruce Ave					NA		NA		04/21/2009
							To: SR 47									
(1113)	0.25	260	R				From: Dead End					NA		NA		04/21/2009
							To: 19-1111 Statesman Dr									
(1114) Law Lane	0.08	230	R				From: 19-1111 Statesman Dr					NA		NA		05/23/2006
							To: 0.08 ME 19-1111 Statesman Dr									
(1114) Law Lane	0.14	360	R				From: 0.08 ME 19-1111 Statesman Dr					NA		NA		05/23/2006
							To: SR 47									
<b>Town of Drakes Branch</b>																
(1201) School St	0.12	110	R				From: Dead End					NA		NA		05/16/2006
							To: 19-619 Proctor St									
(1202) White St	0.20	160	R				From: SR 47					NA		NA		05/16/2006
							To: Dead End									
(1203) Harold St	0.03	450	R				From: 19-619 Proctor St					NA		NA		05/16/2006
							To: SR 47									
(1204) Isabella St	0.24	230	R				From: 19-619 Proctor St					NA		NA		05/16/2006
							To: SR 47									
(1205) Marshall St	0.25	240	R				From: SR 47					NA		NA		04/20/2006
							To: 0.25 ME SR 47									
(1205) Marshall St	0.25	260	R				From: 0.25 ME SR 47					NA		NA		04/20/2006
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Drakes Branch</b>																
(1206) New York Ave	0.25	160	R				From: SR 47				NA		NA			05/16/2006
							To: Dead End									
(1207) Green St	0.21	130	R				From: 19-619 Proctor St				NA		NA			05/16/2006
							To: 19-637 Saxkey Rd									
(1208) Pine St	0.06	20	R				From: Dead End				NA		NA			05/16/2006
							To: 19-619 Proctor St									
(1209) Bedford St	0.16	100	R				From: Cul-de-Sac				NA		NA			05/16/2006
							To: 19-623 West Point Stevens Rd									
(1210) Dunlop St	0.15	2	R				From: Dead End				NA		NA			05/16/2006
							To: 19-1212 Foster St									
(1210) Dunlop St	0.01	340	R				From: SR 47				NA		NA			05/16/2006
							To: Dead End									
(1211) Fawthorp St	0.06	30	R				From: Dead End				NA		NA			05/16/2006
							To: 19-623 West Point Stevens Rd									
(1212) Foster St	0.12	190	R				From: 19-1210 Dunlop St				NA		NA			05/16/2006
							To: Dead End									
(1213) Payne St	0.06	130	R				From: Dead End				NA		NA			05/16/2006
							To: SR 47									
<b>Charlotte County</b>																
(9091) School Lane	0.23	170	R				From: 19-654				NA		NA			05/16/2006
							To: Eureka Elem School									
(9477)	0.06	390	R				From: J Murry Jeffress Elem Sch				NA		NA			03/09/2009
							To: SR 40 Patrick Henry Hwy									
<b>Town of Charlotte C.H.</b>																
(9504)	0.03	170	R				From: SR 47 Thomas Jefferson Hwy				NA		NA			05/23/2006
							To: Central High School									
<b>Town of Phenix</b>																
(9729)	0.09	220	R				From: 19-727 Red House Rd				NA		NA			05/01/2006
							To: Phenix Elem School									
<b>Charlotte County</b>																
(9730) Bacon Elem School	0.09	300	R				From: 19-606 Bacon School Rd				NA		NA			05/23/2006
							To: Bacon Elem School									