

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

18

Charles City County

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charles City Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Henrico County Line															
5 156 John Tyler Memorial Hwy	Charles City County	4.34	1400	F	87%	0%	1%	7%	5%	0%	F	0.095	F	1400	F	
	To: SR 156 E Int															
5 John Tyler Memorial Hwy	Charles City County	3.69	2800	F	96%	0%	1%	1%	2%	0%	F	0.096	F	2800	F	
	To: 18-609 Barnetts Rd															
5 John Tyler Memorial Hwy	Charles City County	5.68	2300	F	96%	0%	1%	1%	2%	0%	C	0.101	F	2300	F	
	To: SR 155 Charles City CH															
5 John Tyler Memorial Hwy	Charles City County	3.81	2100	F	96%	1%	1%	1%	2%	0%	C	0.108	F	2100	F	
	To: 18-632 Tyler's Mill Rd															
	From: 18-632 Tylers Mill Rd															
5 John Tyler Memorial Hwy	Charles City County	9.47	2600	F	96%	1%	1%	1%	2%	0%	F	0.099	F	2700	F	
	To: James City County Line, Chickahominy Bridge															
	From: Prince George County Line															
106 156	Charles City County	1.31	4000	F	88%	1%	1%	1%	9%	0%	F	0.085	F	4100	F	
	To: SR 5; SR 156 Tyler Memorial Hwy															
106 Roxbury Rd	Charles City County	6.67	2300	F	78%	1%	2%	3%	17%	0%	C	0.085	F	2400	F	
	To: 18-656 Bradley Rd															
106 Roxbury Rd	Charles City County	3.13	2800	F	74%	1%	2%	3%	20%	0%	C	0.094	F	2800	F	
	To: New Kent County Line															
	From: Charles City County Line															
106 Roxbury Rd	New Kent County (Maint: 18)	0.43	2800	N	74%	1%	2%	3%	20%	0%	N	0.094	N	2800	N	
	To: New Kent County Line															
	From: SR 5 John Tyler Memorial Hwy															
155 Courthouse Rd	Charles City County	3.67	1600	F	96%	1%	1%	1%	1%	0%	F	0.096	F	1700	F	
	To: 18-612 Ruthville Rd															
155 Courthouse Rd	Charles City County	1.61	1700	F	96%	1%	1%	1%	1%	0%	C	0.099	F	1700	F	
	To: 18-614 Sturgeon Point Rd															
155 Courthouse Rd	Charles City County	1.14	3200	F	96%	1%	1%	1%	1%	0%	F	0.086	F	3300	F	
	To: New Kent County Line															
	From: Prince George County Line															
156 106	Charles City County	1.31	4000	F	88%	1%	1%	1%	9%	0%	F	0.085	F	4100	F	
	To: E SR 5															
156 5 John Tyler Memorial Hwy	Charles City County	4.34	1400	F	87%	0%	1%	7%	5%	0%	F	0.095	F	1400	F	
	To: Henrico County Line															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(600) Charles City Rd	0.40	1800	R								NA		NA			05/17/2011
						From: Henrico County Line										
						To: 18-603 Old Union Rd										
(600) Charles City Rd	2.28	540	R								NA		NA			05/17/2011
						From: 18-622 CC Rd										
(600) Charles City Rd	0.96	540	R								NA		NA			05/17/2011
						To: SR 106 Roxbury Rd										
						From: Dead End										
(601) Liberty Church Rd	0.40	60	R								NA		NA			02/04/2008
						To: 18-615 Glebe Lane										
						From: SR 155 Courthouse Rd										
(602) S Lott Cary Rd	1.03	1300	F	96%	1%	1%	1%	1%	0%	F	0.109	F	1300	F		2011
						To: 1.03 MW SR 155										
(602) S Lott Cary Rd	1.65	1400	F	96%	1%	1%	1%	1%	0%	F	0.107	F	1400	F		2011
						To: 18-618 Adkins Rd										
(602) Lott Cary Rd	2.18	1400	F	96%	1%	1%	1%	1%	0%	F	0.100	F	1400	F		2011
						To: 18-630 Samaria Lane										
(602) Lott Cary Rd	0.83	1700	F	96%	1%	1%	1%	1%	0%	C	0.098	F	1800	F		2011
						To: 18-609 Barnetts Rd										
						From: 18-609 Barnetts Rd										
(603) Old Union Rd	1.96	530	R								NA		NA			05/17/2011
						To: SR 106 Roxbury Rd										
(603) Old Union Rd	2.14	1100	R								NA		NA			05/17/2011
						To: 18-600 Charles City Rd										
						From: SR 106 Roxbury Rd										
(604) Warriner Rd	2.60	310	R								NA		NA			05/26/2011
						To: Henrico County Line										
						From: SR 5 John Tyler Mem Hwy										
(606) Carters Mill Rd	0.30	30	R								NA		NA			05/26/2011
						To: Henrico County Line										
						From: SR 5 John Tyler Mem Hwy										
(607) Wayside Rd	0.87	1000	F	97%	1%	1%	1%	1%	0%	F	0.101	F	1000	F		2011
						To: SR 106 Roxbury Rd										
(607) Wayside Rd	0.27	1300	F	97%	1%	1%	1%	1%	0%	F	0.091	F	1300	F		2011
						To: 18-658 Kimages Rd										
(607) Wayside Rd	0.57	950	F	97%	1%	1%	1%	1%	0%	C	0.093	F	970	F		2011
						To: 18-639 The New Rd										
(607) Wayside Rd	1.07	680	F	97%	1%	1%	1%	1%	0%	F	0.102	F	700	F		2011
						To: 18-642 Stag Run Rd										
(607) Wayside Rd	1.18	650	F	97%	1%	1%	1%	1%	0%	F	0.125	F	660	F		2011
						To: 18-609 N, Barnetts Rd										
						From: 18-609 S, Barnetts Rd										
(607) Church Lane	2.34	500	F	97%	1%	1%	1%	1%	0%	F	0.101	F	510	F		2011
						To: 18-648 New Quarter Run										
(607) Church Lane	0.85	610	F	97%	1%	1%	1%	1%	0%	F	0.111	F	620	F		2011
						To: 18-618 Adkins Rd										
						From: Dead End										
(608) Shirley Plantation	1.59	220	R								NA		NA			05/26/2011
						To: SR 5 John Tyler Mem Hwy										
						From: SR 5 John Tyler Mem Hwy										
(609) Barnetts Rd	0.46	530	F	97%	1%	1%	1%	1%	0%	F	0.1	F	540	F		2011
						To: 18-637 Wyatts Lane										
(609) Barnetts Rd	1.06	520	F	97%	1%	1%	1%	1%	0%	F	0.113	F	530	F		2011
						To: 18-625 West Run Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(609) Barnetts Rd	0.70	570	F	97%	1%	1%	1%	1%	0%	F	0.116	F		580	F	2011
			From: 18-625 West Run Rd													
			To: 18-607 S, Church Lane													
(609) Barnetts Rd	0.69	570	F	97%	1%	1%	1%	1%	0%	F	0.111	F		580	F	2011
			From: 18-607 N, Wayside Rd													
(609) Barnetts Rd	3.51	700	R								NA			NA		02/04/2008
			From: 18-602 Lott Cary Rd													
(609) Barnetts Rd	1.14	1800	F	97%	1%	1%	1%	1%	0%	C	0.101	F		1900	F	2011
			From: 18-603 Old Union Rd													
(609) Barnetts Rd	0.89	1400	F	97%	1%	1%	1%	1%	0%	F	0.114	F		1400	F	2011
			From: 18-631 Cool Hill Rd													
(609) Barnetts Rd	1.75	1900	F	97%	1%	1%	1%	1%	0%	F	0.107	F		1900	F	2011
			From: SR 106 Roxbury Rd													
(610) Green Oak Rd	1.82	350	R								NA			NA		06/14/2011
			From: Dead End													
			To: SR 155 Courthouse Rd													
(611) Kizze Rd	0.25	80	R								NA			NA		02/04/2008
			From: 18-630 Samaria Lane													
			To: Dead End													
(612) Ruthville Rd	0.80	160	R								NA			NA		02/04/2008
			From: Dead End													
(612) Ruthville Rd	0.97	610	R								NA			NA		06/14/2011
			From: 18-615 Glebe Lane													
(612) Ruthville Rd	1.00	700	R								NA			NA		06/14/2011
			From: 18-646 Oakwood Rd													
			To: SR 155 Courthouse Rd													
(613) Shady Point Rd	1.30	200	R								NA			NA		02/04/2008
			From: Dead End													
(613) Shady Point Rd	2.11	310	R								NA			NA		02/04/2008
			From: 1.30 MN Dead End													
(613) Shady Point Rd	3.50	320	R								NA			NA		06/14/2011
			From: 18-623 Wilcox Neck Rd													
			To: SR 5 John Tyler Mem Hwy													
(614) Sturgeon Point Rd	1.33	90	R								NA			NA		02/04/2008
			From: Dead End													
(614) Sturgeon Point Rd	3.60	290	R								NA			NA		06/14/2011
			From: SR 5 John Tyler Mem Hwy													
(614) Sturgeon Point Rd	3.93	900	F	95%	1%	0%	1%	3%	0%	C	0.092	F		920	F	2011
			From: 18-615 Glebe Lane													
(614) Sturgeon Point Rd	0.18	70	R								NA			NA		06/14/2011
			From: SR 155 Courthouse Rd													
			To: Dead End													
(615) Glebe Lane	2.20	750	R								NA			NA		06/07/2011
			From: SR 5 John Tyler Mem Hwy													
(615) Glebe Lane	0.90	680	R								NA			NA		06/07/2011
			From: 18-612 Ruthville Rd													
(615) Glebe Lane	1.50	460	R								NA			NA		06/07/2011
			From: 18-626 Old Elam Cemetery													
(615) Glebe Lane	5.37	760	R								NA			NA		06/07/2011
			From: 18-614 Sturgeon Point Rd													
			To: 18-623 Wilcox Neck Rd													

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(616) Adams Bridge Rd	0.30	10	R									NA		NA		02/04/2008
			From: SR 5 John Tyler Mem Hwy													
			To: Dead End													
(617) Monguy Rd	2.10	210	R									NA		NA		05/26/2011
			From: SR 106 Roxbury Rd													
			To: Dead End													
(618) Wilcox Wharf Rd	1.18	190	R									NA		NA		06/14/2011
			From: Dead End													
			To: SR 5 E, John Tyler Mem Hwy													
			From: SR 5 W, John Tyler Mem Hwy													
(618) Adkins Rd	3.40	220	R									NA		NA		02/04/2008
			To: 18-607 Church Lane													
(618) Adkins Rd	0.49	1100	F	98%	1%	0%	0%	1%	0%	F	0.109	F		1200	F	2011
			To: 18-620 Lewis Tyler Lane													
(618) Adkins Rd	1.41	1500	F	98%	1%	0%	0%	1%	0%	C	0.117	F		1600	F	2011
			To: 18-654 Deerfield Rd													
(618) Adkins Rd	0.74	1000	F	98%	1%	0%	0%	1%	0%	F	0.105	F		1000	F	2011
			To: 18-631 Cool Hill Rd													
(618) Adkins Rd	0.95	1100	F	98%	1%	0%	0%	1%	0%	F	0.09	F		1100	F	2011
			To: 18-629 Alpine Rd													
(618) Adkins Rd	2.00	1200	F	98%	1%	0%	0%	1%	0%	F	0.097	F		1200	F	2011
			To: New Kent County Line													
(619) Weyanoke Rd	2.56	180	R									NA		NA		06/07/2011
			From: Dead End													
(619) Weyanoke Rd	0.91	620	R									NA		NA		06/07/2011
			From: 18-638 Mapisco Rd													
			To: SR 5 John Tyler Mem Hwy													
(620) Lewis Tyler Lane	2.51	450	R									NA		NA		05/17/2011
			From: 18-609 Barnetts Rd													
			To: 18-618 Adkins Rd													
(621) Eagles Nest Rd	0.50	50	R									NA		NA		02/04/2008
			From: Dead End													
(621) Eagles Nest Rd	2.00	70	R									NA		NA		02/04/2008
			From: 0.50 MW Dead End													
			To: 18-623 Wilcox Neck Rd													
(622) CC Rd	0.98	110	R									NA		NA		05/17/2011
			From: SR 106 Roxbury Rd													
			To: 18-600 Charles City Rd													
(623) Wilcox Neck Rd	2.67	290	R									NA		NA		06/14/2011
			From: 18-613 Shady Point Rd													
(623) Wilcox Neck Rd	4.17	750	R									NA		NA		06/14/2011
			From: SR 5 John Tyler Mem Hwy													
(623) Wilcox Neck Rd	1.19	490	R									NA		NA		06/14/2011
			From: 18-621 Eagles Nest Rd													
(623) Wilcox Neck Rd	1.00	120	R									NA		NA		02/04/2008
			From: 18-615 Glebe Lane													
(623) Wilcox Neck Rd	1.00	20	R									NA		NA		02/04/2008
			From: 1.00 MN 18-615													
			To: Dead End													
(624) Horseshoe Rd	3.10	80	R									NA		NA		06/07/2011
			From: 18-615 W, Glebe Lane													
			To: 18-615 E, Glebe Lane													
(625) West Run Rd	2.35	240	R									NA		NA		05/26/2011
			From: 18-658 Kimages Rd													
			To: 18-609 Barnetts Rd													

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(626) Old Elam Cemetery	0.50	48	R				From: Dead End				NA			NA		06/14/2011
(626) Old Elam Cemetery	1.00	330	R				To: 0.50 MN Dead End				NA			NA		02/04/2008
(627) Old Neck Rd	1.80	170	R				From: 18-615 Glebe Lane				NA			NA		06/07/2011
(628) Courthouse Green	0.04	30	R				To: 18-623 Wilcox Neck Rd				NA			NA		06/07/2011
(629) Alpine Rd	0.46	110	R				From: Dead End				NA			NA		02/04/2008
(630) Samaria Rd	0.52	620	R				To: 0.26 MW 18-618				NA			NA		05/17/2011
(630) Samaria Rd	1.07	440	R				From: 18-602 Lott Cary Rd				NA			NA		05/17/2011
(631) Cool Hill Rd	0.60	720	R				To: 18-611 Kizze Rd				NA			NA		05/17/2011
(631) Cool Hill Rd	3.20	390	R				From: 18-618 Adkins Rd				NA			NA		05/17/2011
(632) Tylers Mill Rd	1.00	70	R				To: 18-630 Samaria Lane				NA			NA		02/04/2008
(633) Sterling Heights Lane	0.25	270	R				From: Dead End				NA			NA		06/26/2011
(634) Sterling Heights Lane	0.16	210	R				To: SR 5 John Tyler Mem Hwy				NA			NA		06/14/2011
(635) Holy Tree Lane	0.50	310	R				From: 18-620 Lewis Tyler Lane				NA			NA		05/17/2011
(636) Shady Lane	0.65	190	R				To: Dead End				NA			NA		06/21/2011
(637) Wyatts Lane	0.50	90	R				From: 18-609 Barnetts Rd				NA			NA		06/21/2011
(638) Mapisco Rd	0.66	230	R				To: Dead End				NA			NA		06/07/2011
(639) The New Rd	1.00	310	R				From: Dead End				NA			NA		06/21/2011
(640) Herring Creek Rd	0.06	190	R				To: SR 5 W, John Tyler Mem Hwy				NA			NA		05/26/2011
(640) Herring Creek Rd	0.10	150	R				From: 18-633 Sterling Heights Lane				NA			NA		05/26/2011
(641) Little Elam Rd	1.50	440	R				To: SR 5 E, John Tyler Mem Hwy				NA			NA		06/21/2011
							From: Dead End				NA			NA		06/21/2011
							To: 18-607 Church Lane									

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(642) Stagg Run Rd	0.73	120	R									NA		NA		06/21/2011
(643) The Crossover	0.02	160	R									NA		NA		06/07/2011
(644) Courthouse Rd	0.31	790	R									NA		NA		06/07/2011
(644) Courthouse Rd	0.14	330	R									NA		NA		06/07/2011
(645) Chickahominy Bluff Rd	0.17	290	R									NA		NA		02/04/2008
(646) Oakwood Rd	0.20	30	R									NA		NA		02/04/2008
(647) Indian Rd	0.43	130	R									NA		NA		02/04/2008
(648) New Quarter Run	0.30	30	R									NA		NA		02/04/2008
(649) Woodbourne Rd	0.51	60	R									NA		NA		02/04/2008
(650) Cattail Rd	3.20	370	R									NA		NA		05/17/2011
(651) Legion Rd	0.20	10	R									NA		NA		02/04/2008
(652) Wian Lane	0.31	47	R									NA		NA		05/17/2011
(653) Mt Pleasants	0.12	420	R									NA		NA		06/21/2011
(654) Deerfield Rd	0.40	60	R									NA		NA		05/17/2011
(654) Deerfield Rd	0.60	40	R									NA		NA		05/17/2011
(655) Salem Run Rd	0.35	70	R									NA		NA		02/06/2008
(656) Bradley Rd	0.10	110	R									NA		NA		06/21/2011
(658) Kimages Rd	3.10	280	R									NA		NA		05/26/2011
(659) Old Ferry Rd	1.01	100	R									NA		NA		05/26/2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charles City County																
(660) Munford Dr	0.32	180	R								NA		NA			06/14/2011
(661) The Loop Rd	0.46	150	R								NA		NA			05/26/2011
(662) Community Center Rd	0.05	150	R								NA		NA			06/14/2011
(663) Harrison Park Rd	0.11	48	R								NA		NA			06/21/2011
(664) Roxbury Industrial Court	0.45	370	R								NA		NA			02/06/2008
(665) Harrison Lake Rd	0.18	100	R								NA		NA			02/06/2008
(666) Harrison Lake Rd	0.54	90	R								NA		NA			02/06/2008
(667) Roxbury Industrial Court	0.22	580	R								NA		NA			02/06/2008
(670) Salem Heights Dr	0.19	130	R								NA		NA			02/06/2008
(675) Collins Run Pkwy	0.21	80	R								NA		NA			06/14/2011
(680) Old Holley Rd	0.42	70	R								NA		NA			05/17/2011
(685) Chambers Rd	1.66	1500	R								NA		NA			02/06/2008
(697) Countrywoods Dr	0.26	70	R								NA		NA			06/22/2011
(803) Perks Lane	0.50	230	R								NA		NA			02/06/2008
(9088)	0.05	0	R								NA		NA			06/22/2011
(9088)	0.06	0	R								NA		NA			06/22/2011
(9089)	0.06	0	R								NA		NA			06/22/2011
(9476) Charles City Elem Sch	0.02	440	R								NA		NA			02/06/2008
(9476)	0.07	210	R								NA		NA			1992

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charles City Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Charles City County																	
(9671)	0.10	0	R	From: 18-609 Barnetts Rd											NA	NA	06/22/2011
				To: Charles City Elem School													