

2013
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Special Locality Report

107

City of Covington

Information in this report is included in Report

03

(Alleghany County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wye - Wye Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Covington

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Covington															
18 Indian Valley	City of Covington	0.37	3700	G	97%	0%	1%	1%	1%	0%	C	0.125	F	0.570	3900	G
	To: S Pitzer Ridge															
	From: S Pitzer Ridge															
18 S Carpenter Dr	City of Covington	0.44	5200	G	98%	1%	0%	1%	0%	0%	C	0.102	F	0.627	5500	G
	To: Gordon Street															
	From: Gordon Street															
18 S Carpenter Dr	City of Covington	0.31	5800	G	98%	1%	0%	1%	0%	0%	F	0.098	F	0.627	6200	G
	To: Edgemont Drive															
	From: Edgemont Drive															
18 Carpenter Dr	City of Covington	1.20	4600	G	96%	1%	1%	1%	2%	0%	C	0.092	F	0.629	4900	G
	To: Duyant Road Ext															
	From: Duyant Road Ext															
	To: US 220 Madison St															
	From: US 220 Madison St															
60 N Monroe Avenue	City of Covington	0.09	3700	G	90%	0%	1%	1%	8%	0%	C	0.087	F	0.593	3900	G
	To: WCL Covington															
	From: WCL Covington															
60 N Monroe Avenue	City of Covington	0.14	3700	G	98%	0%	0%	1%	0%	0%	F	0.094	F	0.523	3900	G
	To: SR 154 W Riverside St															
	From: SR 154 W Riverside St															
60 S Monroe Avenue	City of Covington	0.43	5200	G	98%	0%	0%	1%	0%	0%	C	0.092	F	0.549	5500	G
	To: W Locust Street															
	From: W Locust Street															
60 S Monroe Avenue	City of Covington	0.40	5400	G	98%	1%	1%	0%	1%	0%	C	0.086	F	0.601	5800	G
	To: E Oak Street															
	From: E Oak Street															
60 220 E Madison Avenue	City of Covington	0.12	13000	G	98%	0%	0%	1%	0%	0%	F	NA		14000	G	
	To: US 220 N Alleghany Ave															
	From: US 220 N Alleghany Ave															
60 220 East Madison St	City of Covington	0.26	14000	G	92%	1%	0%	1%	6%	0%	C	0.083	F	0.575	15000	G
	To: S Highland Ave															
	From: S Highland Ave															
60 220 E Madison St	City of Covington	0.46	13000	G	92%	0%	0%	1%	7%	0%	C	0.083	F	0.587	13000	G
	To: SR 18 Carpenter St															
	From: SR 18 Carpenter St															
	To: ECL Covington															
	From: ECL Covington															
East 64	City of Covington (Maint: 03)	0.21	5200	G	78%	1%	1%	1%	19%	0%	F	0.080	F		4800	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		11000	G	77%	1%	1%	1%	20%	0%	F	NA		9900	G	
	To: SR 154 Durant Rd															
	From: SR 154 Durant Rd															
East 64	City of Covington (Maint: 03)	1.19	6100	G	78%	1%	1%	1%	19%	0%	F	0.086	F		5600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		12000	G	77%	1%	1%	1%	20%	0%	F	0.080	F	0.508	11000	G
	To: ECL Covington															
	From: ECL Covington															
East 64 Ramp	City of Covington (Maint: 03)	0.18	980	G								0.095	F		980	G
	To: I-64-E TO RT 154NORTH & SOUTH															
	From: I-64-E TO RT 154NORTH & SOUTH															
	To: 107-3605 SR 154; 107-3605-N001A G															
	From: 107-3605 SR 154; 107-3605-N001A G															
West 64	City of Covington (Maint: 03)	0.28	5500	G	77%	1%	1%	1%	21%	0%	F	0.086	F		5100	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		11000	G	77%	1%	1%	1%	20%	0%	F	NA		9900	G	
	To: WCL Covington															
	From: WCL Covington															
	To: SR 154 Durant Rd															
	From: SR 154 Durant Rd															

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Covington

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: SR 154 Durant Rd City of Covington (Maint: 03)	1.08	6200	G	77%	1%	1%	1%	21%	0%	F	0.083	F	5700	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	77%	1%	1%	1%	20%	0%	F	0.080	F	11000	G	
To: ECL Covington																
West 64 Ramp	From: I-64-W TO RT 154NORTH & SOUTH City of Covington (Maint: 03)	0.12	2500	G								0.086	F	2500	G	
To: SR 154 SR 154- B TO & FROM I-64																
154 S Durant Rd/S Craig Ave	From: I-64 Covington City of Covington (Maint: 03)	0.75	12000	G	98%	0%	0%	1%	0%	0%	C	0.098	F	12000	G	
154 Craig Ave	From: Chestnut Street City of Covington	0.56	5500	G	99%	0%	0%	0%	0%	0%	C	0.102	F	5800	G	
154 E Riverside St	From: Locust Street City of Covington	0.28	3200	G	98%	0%	1%	1%	0%	0%	C	0.099	F	3400	G	
154 E Riverside St	From: Lexington Avenue City of Covington	0.24	5400	G	84%	1%	1%	2%	13%	0%	C	0.096	F	5700	G	
154 East Hickory St	From: Monroe Avenue City of Covington	0.09	1100	G	84%	1%	1%	2%	13%	0%	F	0.102	F	1200	G	
154 Ramp	From: Magazine Avenue City of Covington (Maint: 03)	0.11	2900	G								0.097	F	2900	G	
154 Ramp	From: SR 154-S000A; 107-3605-N001A FROM RT City of Covington (Maint: 03)	0.16	1000	G								0.128	F	1000	G	
South 154 Ramp	From: I-64-E FROM RT 154SOUTH AND DURANT R City of Covington (Maint: 03)	0.04	1500	G								0.107	F	1500	G	
220 60 E Madison St	From: SR 154 TO I-64 EAST City of Covington	0.46	13000	G	92%	0%	0%	1%	7%	0%	C	0.083	F	13000	G	
220 60 East Madison St	From: ECL Covington City of Covington	0.26	14000	G	92%	1%	0%	1%	6%	0%	C	0.083	F	15000	G	
220 60 E Madison Avenue	From: SR 18 Carpenter St City of Covington	0.12	13000	G	98%	0%	0%	1%	0%	0%	F	NA		14000	G	
220 N Alleghany Ave	From: S Highland Avenue City of Covington	0.93	9300	G	87%	0%	1%	2%	10%	0%	C	0.083	F	9900	G	
220 N Alleghany Ave	From: S Monroe Avenue City of Covington	0.62	9200	G	87%	0%	1%	2%	10%	0%	C	0.082	F	9700	G	
220 N Alleghany Ave	From: E Locust Street City of Covington	0.66	6000	G	97%	0%	1%	1%	1%	0%	C	0.096	F	6400	G	
To: N Magazine Avenue NCL Covington																

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Covington

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Covington																
(F203) Totten Dr	0.79	60	R								NA		NA			07/31/2008
From: Alleghany County Line																
To: 107-3605, S Durrant Rd																
(F204) Carlton Dr	0.48	110	R								NA		NA			07/31/2008
From: SR 18 Carolton Rd																
To: Dead End																
(1) E Mallow Rd	0.86	590	N	97%	2%	0%	0%	0%	0%	N	0.119	N	0.743	620	N	2013
From: SR 18 Carpenter Drive																
To: ECL Covington																
(2) Hawthorne St	0.42	540	G	97%	1%	2%	0%	0%	0%	C	0.140	F	0.663	570	G	2013
From: SR 154 Craig Ave																
To: US 60 S Monroe Avenue																
(3) Lexington Ave	0.71	1300	G	97%	1%	1%	0%	0%	0%	C	0.109	F	0.524	1400	G	2013
From: 107-5 Chestnut St																
To: Riverside St																
(4) Locust St	0.13	3400	G	97%	0%	1%	1%	0%	0%	C	0.098	F	0.520	3600	G	2013
From: SR 154 Craig Ave																
To: 107-3 Lexington Ave																
(5) Chestnut St	0.13	2600	G	98%	0%	0%	1%	0%	0%	C	0.099	F	0.556	2800	G	2013
From: SR 154 Craig Ave; S. Durant Rd																
To: 107-3 Lexington Ave																
(5) Chestnut St	0.29	1700	G	99%	0%	0%	0%	0%	0%	C	0.099	F		1900	G	2013
From: 107-3 Lexington Ave																
To: US 220 N Alleghany Ave																
(3601) Pitzer Ridge Rd	0.37	510	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.617	540	G	2013
From: SCL Covington																
To: SR 18 S Carpenter Dr; Indian Valley																
(3605) W Edgemont Dr	0.67	3700	G	96%	1%	0%	1%	2%	0%	C	0.098	F	0.514	3900	G	2013
From: S Carpenter Dr																
To: Rayon Drive																
(3605) S Rayon Dr	0.21	3400	G	98%	0%	1%	0%	1%	0%	C	0.097	F	0.641	3600	G	2013
From: W Edgemont Drive																
To: W Jackson Street																
(3605) W Jackson St	0.43	4100	G	98%	1%	0%	1%	1%	0%	C	0.095	F	0.632	4300	G	2013
From: S Rayon Drive																
To: S Willis Avenue																
(3605) S Durrant Rd	0.45	11000	G	98%	0%	0%	0%	1%	0%	C	0.088	F	0.547	11000	G	2013
From: S Willis Avenue																
To: I-64																
North (3605) Ramp	0.04	1200	G								0.096	F		1200	G	2013
From: 107-3605 SR 154 I-64-E014A Ga																
To: SR 154-S000A SR 154- A FROM RT 1																
Beverly Avenue		130	G								0.105	F	0.529	130	G	2013
From: Cypress St																
To: Cedar St																
Cedar St		320	G								0.151	F	0.684	320	G	2013
From: Pocahontas Avenue																
To: Greenbrier Avenue																
Dollyann Dr		550	G								0.107	F	0.78	550	G	2013
From: E Madison Street																
To: S Pond Avenue																
E Chestnut St		6800	G	99%	0%	1%	0%	0%	0%	C	NA			6800	G	2013
From: CSX Railroad																
To: S Highland Ave																
E Chestnut St		1200	G	98%	0%	1%	0%	0%	0%	C	NA			1200	G	2013
From: US 60 Monroe Ave																
To: US 220 S Alleghany Ave																

Virginia Department of Transportation
Traffic Engineering Division
2013
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Covington

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Covington																
E Fairlawn Dr		130	G			From: E Scotland Drive				0.179	F	0.689	130	G	2013	
						To: S Carlton Drive										
E Gordon St		180	G			From: S Powhatan Avenue				0.114	F	0.7	180	G	2013	
						To: Smith Avenue										
E Gray St		200	G			From: S Mound Avenue				0.136	F	0.536	200	G	2013	
						To: S Pond Avenue										
E Hawthorne St		NA				From: S Lawn Ave				NA			NA			
						To: S Highland Ave										
E Magazine Ave		220	G	96%	1%	3%	0%	0%	0%	C	NA		220	G	2013	
E Mallow St		1300	G	99%	0%	0%	0%	0%	0%	C	NA		1300	G	2013	
E Michigan St		230	G			From: S Greenway Drive				0.16	F	0.579	230	G	2013	
						To: Woodfield Dr										
E Scotland Rd		70	G			From: S Carlton Drive				0.143	F	0.609	70	G	2013	
						To: E Fairlawn Drive										
E Trout St		900	G			From: Carpenter Drive				0.106	F	0.513	900	G	2013	
						To: ECL Covington										
Forest Avenue		100	G			From: S Greenway Drive				0.14	F	0.571	100	G	2013	
						To: Dead End										
N Magazine Ave		4400	G	84%	0%	1%	1%	13%	0%	C	NA		4400	G	2013	
N Maple Ave		1200	G	96%	1%	2%	0%	0%	0%	C	NA		1200	G	2013	
N Marion St		380	G			From: W Locust Street				0.11	F	0.605	380	G	2013	
						To: W Hawthorne Street										
N Rockbridge Ave		70	G			From: E. Willow St.				0.287	F	0.612	70	G	2013	
						To: E. Cedar St.										
Pocahontas Avenue		190	G			From: Cedar Street				0.133	F	0.68	190	G	2013	
						To: McAllister Street										
S Carlton Dr		160	G			From: E Scotland Road				0.129	F	0.636	160	G	2013	
						To: E Fairlawn Drive										
S Greenway Dr		420	G			From: E Michigan Street				0.104	F	0.539	420	G	2013	
						To: E Pennsylvania Street										
S Highland Ave		2000	G	96%	0%	1%	0%	2%	0%	C	NA		2000	G	2013	
S Maple		250	G			From: W Fudge St				0.117	F	0.803	250	G	2013	
						To: W Pine St										

Virginia Department of Transportation
 Traffic Engineering Division
 2013
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Covington

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
City of Covington																	
W Hawthorne St		760	G	From: N Maple Avenue				0.11	F	0.512	760	G	2013				
				To: N Court Avenue													
W Main St		2100	G	96%	1%	From: N Maple Ave				C	NA	2100	G	2013			
						To: N Court Ave											
W Riverview Dr		590	G	From: S Durant Road				0.106	F	0.565	590	G	2013				
				To: S Conrad Avenue													
Woodlawn Avenue		30	G	From: E. Detroit Street				0.17	F	0.778	30	G	2013				
				To: E. Michigan Street													