

2015
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Special Locality Report

223

Town of Glasgow

Information in this report is included in Report

81

(Rockbridge County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypass - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Glasgow

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
130	d	From:	WCL Glasgow														
		Town of Glasgow (Maint: 81)	1.60	3400	N	95%	0%	1%	1%	3%	0%	N	0.102	0.506	3600	N	
		To:	ECL Glasgow														

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Glasgow

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Glasgow																
(679/81) Second St	0.07	20	R								NA		NA			07/30/2013
			From: Dead End													
(679/81) Second St	0.06	100	R								NA		NA			07/30/2013
			To: 81-1115 Pocahontas St													
			From: 81-1105 N, Catawba St													
(679/81) Second St	0.07	500	R								NA		NA			08/02/2004
			To: 81-1105 S, Catawba St													
			From: WCL Glasgow													
(684/81) Blue Ridge Rd	0.50	90	R								NA		NA			07/28/2004
			From: Dead End													
(684/81) Blue Ridge Rd	0.18	3400	G	96%	0%	1%	2%	1%	0%	C	0.111		0.546	3600	G	2015
			To: SR 130 Rockbridge Rd													
(684/81) Blue Ridge Rd	0.14	1800	G	96%	0%	1%	2%	1%	0%	F	0.087		0.536	1900	G	2015
			To: 81-783 Anderson St													
(684/81) Blue Ridge Rd	0.26	1000	G	96%	0%	1%	2%	1%	0%	F	0.098		0.585	1100	G	2015
			To: 81-1106 Powhatan St													
(684/81) Blue Ridge Rd	0.36	840	G	96%	0%	1%	2%	1%	0%	F	0.096		0.511	880	G	2015
			To: 81-1104 Shawnee St													
			From: WCL Glasgow													
(783/81) Anderson St	0.12	110	R								NA		NA			07/30/2013
			From: 81-1112 Twelfth St													
(783/81) Anderson St	0.30	220	R								NA		NA			07/28/2004
			To: 81-1114 Eleventh St													
(783/81) Anderson St	0.28	1600	R								NA		NA			07/30/2013
			From: 81-684 Blue Ridge Rd													
			To: 81-1101 Sixth St													
(784/81) Tenth St	0.07	140	R								NA		NA			07/28/2004
			From: 81-1111 Virginia St													
(784/81) Tenth St	0.06	200	R								NA		NA			07/30/2013
			To: 81-1110 Kanawha St													
(784/81) Tenth St	0.10	420	R								NA		NA			07/28/2004
			From: SR 130 Rockbridge Rd													
(784/81) Tenth St	0.07	90	R								NA		NA			07/30/2013
			To: 81-783 Anderson St													
			From: 81-1107 McCulloch St													
(826/81) Pine View Dr	0.05	80	R								NA		NA			07/30/2013
			From: SR 130 Rockbridge Rd													
(826/81) Pine View Rd	0.12	80	R								NA		NA			07/30/2013
			To: 81-1118 Laurel Rd													
			From: Dead End													
(1101/81) Sixth St	0.06	390	R								NA		NA			10/03/2007
			From: 81-783 Anderson St													
(1101/81) Sixth St	0.06	520	R								NA		NA			10/03/2007
			To: 81-1107 McCulloch St													
(1101/81) Sixth St	0.12	1000	R								NA		NA			07/28/2004
			From: 81-1106 Powhatan St													
(1101/81) Sixth St	0.06	490	R								NA		NA			10/03/2007
			To: 81-1115 Pocahontas St													
(1101/81) Sixth St	0.06	50	R								NA		NA			07/28/2004
			From: 81-1105 Catawba St													
(1101/81) Sixth St	0.05	70	R								NA		NA			10/03/2007
			To: 81-1104 Shawnee St													
			From: 81-1109 Gordon Place													
(1102/81) Seventh St	0.05	70	R								NA		NA			10/03/2007
			To: 81-1108 Fitzlee St													

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Glasgow

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Glasgow																
1102 81 Seventh St	0.06	420	R								NA			NA		07/28/2004
1102 81 Seventh St	0.06	100	R								NA			NA		10/03/2007
1102 81 Seventh St	0.06	90	R								NA			NA		10/03/2007
1102 81 Seventh St	0.06	70	R								NA			NA		10/03/2007
1102 81 Seventh St	0.06	170	R								NA			NA		07/28/2004
1102 81 Seventh St	0.06	360	R								NA			NA		10/03/2007
1103 81 Eighth St	0.10	310	R								NA			NA		07/28/2004
1103 81 Eighth St	0.05	250	R								NA			NA		10/03/2007
1104 81 Shawnee St	0.04	460	R								NA			NA		07/28/2004
1104 81 Shawnee St	0.12	80	R								NA			NA		10/03/2007
1104 81 Shawnee St	0.13	60	R								NA			NA		10/03/2007
1104 81 Shawnee St	0.13	60	R								NA			NA		10/03/2007
1104 81 Shawnee St	0.20	50	R								NA			NA		07/28/2004
1105 81 Catawba St	0.12	170	R								NA			NA		10/03/2007
1105 81 Catawba St	0.13	400	R								NA			NA		07/28/2004
1105 81 Catawba St	0.12	390	R								NA			NA		10/03/2007
1105 81 Catawba St	0.11	600	R								NA			NA		08/02/2004
1105 81 Catawba St	0.10	600	R								NA			NA		10/03/2007
1105 81 Catawba St	0.02	310	R								NA			NA		08/02/2004
1105 81 Catawba St	0.12	40	R								NA			NA		10/03/2007
1106 81 Powhatan St	0.13	800	R								NA			NA		07/28/2004
1106 81 Powhatan St	0.12	790	R								NA			NA		10/03/2007
1107 81 McCulloch St	0.10	70	R								NA			NA		07/28/2004

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Glasgow

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Glasgow																
(1107/81) McCulloch St	0.17	160	R			From 81-784 Tenth St					NA		NA			10/09/2007
(1107/81) McCulloch St	0.14	430	R			To 81-684 Blue Ridge Rd					NA		NA			10/03/2007
(1107/81) McCulloch St	0.12	240	R			From 81-1102 Seventh St					NA		NA			10/03/2007
						To 81-1101 Sixth St										
(1108/81) Fitzlee St	0.24	180	R			From Dead End					NA		NA			07/28/2004
(1108/81) Fitzlee St	0.12	200	R			To 81-1113 Thirteenth St					NA		NA			10/09/2007
(1108/81) Fitzlee St	0.12	230	R			From 81-1112 Twelfth St					NA		NA			10/09/2007
(1108/81) Fitzlee St	0.13	190	R			To 81-1114 Eleventh St					NA		NA			10/09/2007
(1108/81) Fitzlee St	0.19	210	R			From 81-784 Tenth St					NA		NA			07/28/2004
(1108/81) Fitzlee St	0.12	380	R			To 81-684 Gap					NA		NA			10/03/2007
(1108/81) Fitzlee St	0.12	320	R			From 81-1103 Gap					NA		NA			10/03/2007
(1108/81) Fitzlee St	0.12	320	R			To 81-1102 Seventh St					NA		NA			07/28/2004
						From Dead End										
(1109/81) Gordon Place	0.12	60	R			To 81-1103 Eighth St					NA		NA			10/03/2007
(1109/81) Gordon Place	0.08	80	R			From 81-1102 Seventh St					NA		NA			07/28/2004
						To Dead End										
(1110/81) Kanawha St	0.25	70	R			From 81-1112 Twelfth St					NA		NA			07/30/2013
						To 81-784 Tenth St										
(1111/81) Virginia St	0.25	80	R			From 81-1112 Twelfth St					NA		NA			07/28/2004
						To 81-784 Tenth St										
(1112/81) Twelfth St	0.03	80	R			From Dead End					NA		NA			10/09/2007
(1112/81) Twelfth St	0.07	180	R			To 81-1111 Gap					NA		NA			07/28/2004
						From 81-1110 Gap										
(1112/81) Twelfth St	0.07	70	R			To SR 130 Gap					NA		NA			10/09/2007
						From 81-1108 Gap										
(1113/81) Thirteenth St	0.08	110	R			To 81-783 Anderson St					NA		NA			07/28/2004
						From SR 130 Rockbridge Rd										
(1113/81) Thirteenth St	0.02	40	R			To 81-1108 Fitzlee St					NA		NA			1986
						From Dead End										
(1114/81) Eleventh St	0.05	60	R			From 81-1108 Fitzlee St					NA		NA			07/28/2004
(1114/81) Eleventh St	0.06	50	R			To 81-783 Anderson St					NA		NA			10/09/2007
						From 81-1107 McCulloch St										
(1115/81) Pocahontas St	0.12	120	R			To 81-1102 Seventh St					NA		NA			10/03/2007
						From 81-1101 Sixth St										

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Glasgow

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Glasgow																
(1115/81) Pocahontas St	0.25	520	R			From: 81-1101 Sixth St					NA			NA		08/02/2004
(1115/81) Pocahontas St	0.09	290	R			To: 81-1117 Fourth St					NA			NA		10/03/2007
(1115/81) Pocahontas St	0.06	60	R			From: 81-1116 Third St					NA			NA		08/02/2004
(1115/81) Pocahontas St	0.12	60	R			To: Dead End; Gap 81-679 Gap					NA			NA		10/03/2007
(1116/81) Third St	0.07	230	R			From: 81-1115 Pocahontas St					NA			NA		08/02/2004
(1117/81) Fourth St	0.07	290	R			To: 81-1105 Catawba St					NA			NA		10/03/2007
(1117/81) Fourth St	0.06	60	R			From: 81-1115 Pocahontas St					NA			NA		08/02/2004
(1118/81) Laurel Rd	0.05	30	R			To: 81-1105 Catawba St					NA			NA		08/02/2004
(1118/81) Laurel Rd	0.05	30	R			From: 81-826 Pine View Rd					NA			NA		07/30/2013
(1119/81) Sixth St	0.13	70	R			To: Cul-de-Sac					NA			NA		07/30/2013
(1119/81) Sixth St	0.13	70	R			From: 81-1102 Seventh St					NA			NA		10/03/2007
(1120/81) Fifth St	0.06	10	R			To: 81-1101 Sixth St					NA			NA		10/03/2007
(1120/81) Fifth St	0.06	10	R			From: 81-1105 Catawba St					NA			NA		07/28/2004
(1121/81) 14th St	0.13	NA				To: 81-1104 Shawnee St					NA			NA		07/28/2004
(1121/81) 14th St	0.13	NA				From: 81-1123 Anderson St					NA			NA		
(1122/81) 15th St	0.13	NA				To: SR 130 Rockbridge Rd					NA			NA		
(1122/81) 15th St	0.13	NA				From: 81-1123 Anderson St					NA			NA		
(1123/81) Anderson St	0.18	NA				To: SR 130 Rockbridge Rd					NA			NA		
(1123/81) Anderson St	0.18	NA				From: 81-1122 15th St					NA			NA		
(1123/81) Anderson St	0.18	NA				To: Cul-de-Sac					NA			NA		