2017

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 139

Town of Wytheville

Information in this report is included in Report

98

(Wythe County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	ute

Frontage Road (F precedes frontage route number)

(600) Secondary Route

Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wye - Wye Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2017

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Wytheville

							Tru	ck			K	Dir Dir		
Route	Jurisdiction	Length A	AADT Q	A 4Tire	Bus		3+Axle			QC	Factor	QK Factor	AAWDT	QW
(11) W Lee Hwy	From: Town of Wytheville		Wytheville 4400	98%	1%	0%	0%	1%	0%	С	0.106	0.644	4800	G
(11) W Lee Hwy	Town of Wytheville	2.03	24th St 6500 C	98%	1%	0%	0%	1%	0%	F	0.099	0.571	7100	G
(11) (21) Main St	Town of Wytheville	1	21 Main St 22th St 5800 C	98%	1%	0%	0%	1%	0%	F	0.089	0.579	6300	G
11 Main St	To: From: Town of Wytheville	US	4th St 21, 4th St 7100 C	98%	1%	0%	0%	1%	0%	F	0.084	0.546	7700	G
11 Main St	Town of Wytheville		5th St 7200 C	98%	0%	1%	0%	1%	0%	F	0.083	0.523	7800	G
(11) E Main St	Town of Wytheville		1th St	98%	0%	1%	0%	1%	0%	С	0.085	0.522	11000	G
(11) E Main St	Town of Wytheville		berty St 9300 C	98%	0%	1%	0%	1%	0%	F	0.089	0.578	10000	G
11) E Main St	Town of Wytheville (Maint: 98)		3 Lithia Rd 9300 N	98%	0%	1%	0%	1%	0%	N	0.089	0.578	10000	N
(11) (11) Ramp to I-81 N at Exit 73	Town of Wytheville (Maint: 98)	-00011-P(U)/US-000 0.27 -00081-N(R)/US-000	11-N072A(R	Se	e US 1	1 for dir	ectional t	traffic v	olume e	stima	tes for thi	s segment.		
(11) (81) (77) (52) Combined T	Town of Wytheville (Maint: 98) raffic Estimates for 2 Parallel Roadways o	0.96	I-81 66000 C	S		for dire	ctional tr	affic vo 22%	lume es 2%	timate C		segment. A 0.53	52000	G
	To:	NCL	Wytheville		.,,		- 7.							
North Ramp to I-81 N at Exit 73	Town of Wytheville (Maint: 98)	0.27	US 11 3400 C I-81 N	à							0.097		3400	G
North 11 Ramp to I-81 S at Exit 73	Town of Wytheville (Maint: 98)	0.42	US 11 1200 C I-81 S	à							0.084		1200	G
(21) Grayson St	From Town of Wytheville	SCL 0.93	Wytheville 4300 C	98%	0%	1%	1%	1%	0%	С	0.097	0.636	4600	G
(21) Main St	Town of Wytheville	0.49 (Main St ayson St 6400		0%	1%	1%	1%	0%	F	0.093	0.647	7000	G
(21) (11) Main St	Town of Wytheville	0.31	Lee Hwy; 12th Hwy; 12th St 5800		1%	0%	0%	1%	0%	F	0.089	0.579	6300	G
(21) 4th St	Town of Wytheville	US 1	h Street 1 Main St 4000	98%	0%	0%	0%	1%	0%	F	0.086	0.537	15000	G
(21)	To		Ridge Rd		-,,	ĺ				-				

Virginia Department of Transportation Traffic Engineering Division 2017

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Wytheville

								Trı	uck			K		Dir		
Route	Jurisdictio	on Le	ngth AADT	QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QW
~~~ o.	From:		W Ridge		2221			221			_					
(21) 4th St	Town of Wyth	neville 0	.40 <b>15000</b>	) G	98%	0%	0%	0%	1%	0%	С	0.092		0.506	16000	G
Ath Ct	To:	ovilla 0	.12 Tazewell		98%	0%	0%	0%	1%	0%	F	0.070		0.502	17000	G
(21) 4th St	Town of Wyth	leville 0	.12 <b>15000</b> I-81; US		90%	0%	0%	0%	170	0%	Г	0.078		0.502	17000	G
	From:		US 11	52			1									
(52) $(81)$ $(77)$ $(11)$	Town of Wytheville	(Maint: 98) 0	.93		S	ee I-81	for dire	ctional t	raffic vo	lume es	timate	es for this	s segi	ment.		
	Combined Traffic Estimates for 2 Parallel	Roadways on this Ro	oute: <b>56000</b>	) G	74%	1%	1%	1%	22%	2%	С	0.115	Α	0.601	52000	G
	To:		NCL Wythe US 11	eville												
52 (81) (77)	Town of Wytheville	(Maint: 98) 1	.29		S	ee I-81	for dire	ctional t	raffic vo	lume es	timate	es for this	s sea	ment.		
(32) (61) (17)	Combined Traffic Estimates for 2 Parallel	,		) A	74%	1%	1%	1%	22%	2%	F	0.116	_	0.511	47000	Α
	To	· ·	US 11													
(52) (81)	Town of Wytheville	(Maint: 98) 1	.99		S	ee I-81	for dire	ctional t	raffic vo	lume es	timate	es for this	s segi	ment.		
	Combined Traffic Estimates for 2 Parallel	Roadways on this Ro			79%	1%	1%	1%	17%	1%	F	0.11	Α	0.537	30000	Α
	To:		I-77 Wythe	ville												
52 (81) Ramp I-81 S Exit	70 to US 21; US 58 Town of Wytheville	(Maint: 98) 0	US 11		S	ee I-81	for dire	ctional t	raffic vo	lume es	timate	es for this	s sea	ment.		
(32) (61) ************************************	To:	(	3)/IS-00081-S07	0A(R)/T0									9			
( ) 44h C4	From:		Maintenance		000/	0%	1%	10/	10/	00/	0	0.005		0.510	0000	_
(52) 4th St	Town of Wyth	leville i	.89 <b>2600</b> WCL Wyth		98%	0%	1%	1%	1%	0%	С	0.095		0.518	2800	G
	From:		US 21; US				1									
Famp to I-81 N at Exit 7	70 Town of Wytheville	(Maint: 98) 0	.15 <b>4200</b>	G								0.092			4200	G
	To:		I-81 N													
~~	From:		US 21; US													
[52] Ramp to I-81 S at Exit 7	Town of Wytheville	(Maint: 98) 0	.16 1900	G								0.089			1900	G
	To an		I-81 S													
North South (77) (81) (11) (52)	Town of Wytheville	(Maint: 98) 0	.93 <b>27000</b>		75%	1%	1%	1%	21%	2%	С	0.121			25000	G
(1) (1) (32)	Combined Traffic Estimates for 2 Parallel	,			74%	1%	1%	1%	22%	2%	C	0.115	Α	0.601	52000	G
	To:		US 11	-		.,,		.,,								
North South	Town of Wytheville	(Maint: 09) 1		· A	750/	1%	10/	10/	21%	20/	_	0.127			22000	۸
77 81 52	Combined Traffic Estimates for 2 Parallel		.29 <b>25000</b> oute: <b>51000</b>		75% 74%	1%	1% 1%	1% 1%	21%	2% 2%	F	0.127 0.116	Α	0.511	23000 47000	A A
	To:	noadways on this no	I-81 Wythe		7470	1 /0	1 /0	1 /0	22 /0	2/0	'	0.110	^	0.511	47000	^
North	From:		I-81 Sou	th												
(77) Ramp I-81 S Exit 72 to I	•	,	.28 <b>1200</b> 0		78%	1%	1%	1%	18%	1%	F	0.082			10000	G
~	Combined Traffic Estimates for 2 Parallel	Roadways on this Ro			78%	1%	1%	1%	19%	1%	F	0.070	F	0.554	20000	G
North	From:		I-77 Nor I-81 Wythe													
(77)	Town of Wytheville	(Maint: 98) 0	.31 <b>15000</b>		78%	1%	1%	1%	18%	1%	F	0.138			13000	Α
$\smile$	Combined Traffic Estimates for 2 Parallel	Roadways on this Ro	oute: 30000	) A	78%	1%	1%	1%	19%	1%	F	0.128	Α	0.584	27000	Α
	To:		Peppers Fer	ry Rd												

					eville				Tru	ck			K		Dir		
Route	Jurisdictio	on	Length	AADT	QA	4Tire	Bus		3+Axle	-		QC	Factor	QK	Factor	AAWDT	QW
North	From:		Per	pers Ferry	Rd												
(77)	Town of Wytheville	(Maint: 98)	0.23	15000	Α	78%	1%	1%	1%	18%	1%	F	0.134			14000	Α
$\bigcirc$	Combined Traffic Estimates for 2 Parallel	Roadways on this	s Route:	30000	Α	78%	1%	1%	1%	19%	1%	F	0.126	Α	0.586	27000	Α
	To:		NO	L Wythevi	lle												
North	From:			I-77 North													
(77) Ramp	Town of Wytheville	(Maint: 98)	0.13	1800	G								0.114			1800	G
$\smile$	To:		Per	pers Ferry	Rd												
South North	From:			L Wythevi													
(77) (81) (11) (52)	Town of Wytheville	(Maint: 98)	0.96	29000	В	73%	1%	1%	1%	23%	2%	С	0.111			27000	В
$\bigcirc$ $\bigcirc$ $\bigcirc$ $\bigcirc$	Combined Traffic Estimates for 2 Parallel	Roadways on this	s Route:	56000	G	74%	1%	1%	1%	22%	2%	С	0.115	Α	0.53	52000	G
Davida Namb	To: From:			US 11				$\Box$ $\vdash$									
South North (52)	Town of Wytheville	(Maint: 98)	0.82	26000	Α	73%	1%	1%	1%	23%	2%	F	0.117			24000	Α
(1) (61) (52)	Combined Traffic Estimates for 2 Parallel	,		51000	A	74%	1%	1%	1%	22%	2%	F	0.116	Α	0.511	47000	Α
	To:	Troddwayo on time		1 Wythevil		7 170	170		1 70	/0	270	•	0.110	,,	0.011	17000	
South	From:			I-81 N													
77) Ramp I-77 S Exit 40 to 8	1 N Exit 72 Town of Wytheville	(Maint: 98)	0.66	11000	G	77%	1%	1%	1%	19%	1%	F	0.073			10000	G
	Combined Traffic Estimates for 2 Parallel	Roadways on this	s Route:	23000	G	78%	1%	1%	1%	19%	1%	F	0.070	F	0.554	20000	C
2 1	To:		* /	I-77 S													
South 77	Town of Wytheville	(Maint: 98)	0.49	15000	<u>не</u>	77%	1%	1%	1%	19%	1%	F	0.133			13000	Δ
11)	Combined Traffic Estimates for 2 Parallel	,		30000	A	78%	1%	1%	1%	19%	1%	F	0.128	Α	0.584	27000	,
	To:	Troddways on this		L Wythevi		7070	1 /0	—i~	1 70	10 /0	1 70	•	0.120	,,	0.004	27000	,,
South	From:			I-77 S				1									
	10 to I-81 S at Exit 72 Town of Wytheville	(Maint: 98)	0.22	2900	G	77%	1%	1%	1%	19%	1%	F	0.098			2500	G
	To:			I-81 S	-												
South	From:			I-77 South													
Ramp	Town of Wytheville	(Maint: 98)	0.33	2300	G								0.09			2300	G
	To:			South Exit													
South	From:	(14 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		41B FROM	I RT 77												
Ramp	Town of Wytheville	(Maint: 98)	0.03	NA									NA			NA	
<u> </u>	10.			58 FROM													
South	From:	(Mainte 00)		41A FROM	I RT 77								NA			NIA	
77 Ramp	Town of Wytheville	(Maint: 98)	0.05	NA 58 FROM	DT 77								NA			NA	
		1															
North	Town of Wytheville	(Maint: 08)	2.03	L Wythevil	lle <b>G</b>	78%	1%	1%	1%	19%	1%	_	0.104			13000	G
81	Combined Traffic Estimates for 2 Parallel				G	78% 79%	1%	1%	1%	17%	1%	F	0.104	F	0.533	26000	G
	To:	noauways on this		<b>25000</b> US 52, N F		13%	1 70	170	1 %	1 / 70	1 70	r	0.095	r	0.555	20000	G
North	From:			21, N Fourt													
81) (52)	Town of Wytheville	(Maint: 98)	2.27	16000	Α	78%	1%	1%	1%	19%	1%	F	0.117			15000	A
	Combined Traffic Estimates for 2 Parallel	,	s Route:	32000	Α	79%	1%	1%	1%	17%	1%	F	0.11	Α	0.537	30000	Α
				7 Wythevil													

#### Virginia Department of Transportation Traffic Engineering Division 2017

#### Annual Average Daily Traffic Volume Estimates By Section of Route Town of Wytheville

_						_		Tru	ıck			K		Dir		
Route	Jurisdictio	on Leng	th <b>AADT</b>	QA	4Tire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QK	Factor	AAWDT	QW
North North	From		I-77 Wythevi													
(81) $(77)$ $(52)$	Town of Wytheville			Α	73%	1%	1%	1%	23%	2%	F	0.117			24000	Α
$\circ \circ \circ$	Combined Traffic Estimates for 2 Parallel	Roadways on this Rout	e: <b>51000</b>	Α	74%	1%	1%	1%	22%	2%	F	0.116	Α	0.511	47000	Α
North North			US 11, E Mai	n St												
(81) $(77)$ $(11)$ $(52)$	Town of Wytheville	(Maint: 98) 0.96	29000	В	73%	1%	1%	1%	23%	2%	С	0.111			27000	В
	Combined Traffic Estimates for 2 Parallel	,		G	74%	1%	1%	1%	22%	2%	С	0.115	Α	0.53	52000	G
	То		NCL Wythev	ille												
North	From	0	I-81 N													
(81) Ramp I-81 N Exit 70 to	US 21; US 58 Town of Wytheville	(Maint: 98) 0.19	2200	G								0.091			2200	G
$\overline{}$	То	:	US 21; US 5	58												
North	From		I-81 North													
81 Ramp From I-81 N Exit	72 to I-77 N at Exit 40 Town of Wytheville	(Maint: 98) 0.54		G	78%	1%	1%	1%	18%	1%	F	0.09			2300	G
	To		I-77 North	1												
North	From	· (14 · · · · · · · · · · · · · · · · · · ·	I-81 North												4000	_
Ramp I-81 N Exit 73 to	US 11 Town of Wytheville	(Maint: 98) 0.11	1200 US 11	G			<del></del> 1					0.092			1200	G
	T-ord															
South 81	Town of Wytheville	(Maint: 98) 2.71	SCL Wythevi	Ille G	81%	1%	1%	1%	16%	1%	F	0.088			13000	G
(81)	Combined Traffic Estimates for 2 Parallel	,		G	79%	1%	1%	1%	17%	1%	F	0.095	F	0.533	26000	G
	To		1; US 52, N F			1 /0		1 /0	17 70	1 /0	'	0.000	'	0.555	20000	u
South	From		JS 21, N Four													
(81) (52)	Town of Wytheville	,		Α	81%	1%	1%	1%	16%	1%	F	0.122			15000	Α
$\vee$	Combined Traffic Estimates for 2 Parallel	Roadways on this Rout	e: <b>32000</b>	Α	79%	1%	1%	1%	17%	1%	F	0.11	Α	0.537	30000	Α
South North	To From		I-77 Wythevi	ille												
(81) (77) (52)	Town of Wytheville	(Maint: 98) 1.29	25000	Α	75%	1%	1%	1%	21%	2%	F	0.127			23000	Α
(1) (1) (32)	Combined Traffic Estimates for 2 Parallel	,	e: <b>51000</b>	Α	74%	1%	1%	1%	22%	2%	F	0.116	Α	0.511	47000	Α
	To		US 11, E Mair	n Ct												
South North	From		•								_					_
81 77 [11] [52]	Town of Wytheville			G	75%	1%	1%	1%	21%	2%	C	0.121		0.004	25000	G
	Combined Traffic Estimates for 2 Parallel	Roadways on this Rout		G	74%	1%	1%	1%	22%	2%	С	0.115	Α	0.601	52000	G
			NCL Wythev													
South Ramp I-81 S Exit	70 to US 21; US 58 Town of Wytheville	(Maint: 98) 0.27	I-81 South  7 3400	G								0.1			3400	G
81 (52) Ramp I-81 S Exit	To Co Co Zi, Co Co Town or Wythevine	: 0.27	US 21; US 5				1					0.1			0400	u
	From															
South	From															
South (81) Ramp I-81 S Exit 73 to		(Maint: 98) 0.35	I-81 South	G								0.110			3700	G

						TOWIT	or vv ytrie	ville								
Route	Length	AADT	QA	4Tire	Bus		Trı 3+Axle	_		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Wytheville		From	1.			D	ead End									
F36)	0.21	10	R			ь	eau Enu				NA			NA		03/17/201
.00		Tr	1"		1	139-5258	Peppers Fe	erry Rd								
		From	1:			Pe	epsi Way									
F41) Nye Rd	0.84	1800	G	88%	1%	1%	1%	9%	1%	С	0.134		0.573	1900	G	2017
<u> </u>		To	X				Lovers La									
F42 Factory Outlet Dr	1.36	2300	`L		(	Connector	From US	11 NB			NA			NA		04/13/20
F42) 1 actory Outlet Di	1.50	<b>2300</b>				ECL	Wythevill	e						INA		04/13/20
		From	1:				Lovers La									
F43) Lovers Lane	0.87	2600	R								NA			NA		02/22/20
<u> </u>		To	x			NCL	Wythevill	e								
<u> </u>		From	1:				1 Lithia R									
Lithia Rd	0.48	1500	<u>G</u>	96%	1%	1%	0%	2%	0%	С	0.102		0.616	1600	G	2017
		From	1				1, E Main									
1 Fairview Rd	1.19	1100	G	99%	0%	1%	52 N 4th S 0%	0%	0%	F	0.083		0.639	1200	G	2017
1) . a		To	Ť	0070	0 70		Wythevill		0,70	•			0.000	00		
		From	1:			US	52 4th St									
2 Holston Rd	1.24	2800	G	99%	0%	1%	0%	0%	0%	F	0.085		0.537	3100	G	2017
$\overline{}$		To	))			(	Cove Rd									
O		From					1 Lithia R								_	
4 Nye Rd	0.96	2000 _{To}	G	99%	0%	1%	0%	0%	0%	F	0.073		0.506	2200	G	2017
		From	1				ers Ferry R									
5250) Old Stage Rd	1.63	1200	G	99%	0%	1%	Wythevill 0%	0%	0%	F	0.099		0.682	1300	G	2017
5250) Old Stage Rd	1.00	Т.	Ť	0070	0 70		l Grayson		070	•	0.000		0.002	1000	ŭ	2017
		From	1:			Pe	etunia Rd									
5252) W Ridge St	1.55	1000	G	99%	0%	1%	0%	0%	0%	С	0.102		0.555	1100	G	2017
$\overline{}$		T _e From	x.				18th St				$\Box$					
5252) W Ridge Rd	0.49	1900	G	99%	0%	1%	0%	0%	0%	F	0.098		0.503	2000	G	2017
<u> </u>		To	00			US	21 4th St									
Mishaga Dal	0.05	From		000/	00/		11 Main S		00/				0.507	0.400	_	0017
Withers Rd	0.25	3100 To	G	98%	0%	1%	1% 11th St	0%	0%	F	0.092		0.527	3400	G	2017
_		Fron	12				ithers St									
5253) 11th St	0.31	1800	G	98%	0%	1%	1%	0%	0%	С	0.1		0.524	1900	G	2017
		To From	2			US	11 Main S	t								
5253) 11th St	0.07	6500	G	98%	0%	1%	1%	0%	0%	F	0.089		0.508	7100	G	2017
		To From	Y			M	Ionroe St				_					
North St	0.12	2100	G	98%	0%	1%	1%	0%	0%	F	0.098		0.656	2300	G	2017
<u> </u>		Fron	12				isher Rd North St									
5253) Fisher Rd	0.14	1400	G	98%	0%	1%	1%	0%	0%	F	0.102		0.626	1500	G	2017
		To	x				Pine St				$\Box$					
		From	1.			Pepp	ers Ferry R	ld								
South Cove Rd	0.52	2900	G	98%	0%	1%	1%	0%	0%	С	0.087		0.561	3100	G	2017
<u>~</u>		To From	11				olston Rd									
5255) Cove Rd	0.32	1300	G	98%	0%	1%	1%	0%	0%	F	0.097		0.55	1500	G	2017
<u> </u>		To From					theview Dr									
5255 Cove Rd	0.29	680	G	98%	0%	1%	1%	0%	0%	F	0.096		0.736	740	G	2017
		To					Wythevill	e								
		**														
5256) Spring St	0.30	1500	L	98%	0%	1%	12th St 1%	0%	0%	F	0.107		0.727	1600	G	2017

						I own of W	ytneville							
Route	Length	AADT	QA	4Tire	Bus		Truck Axle 1Trail		QC	K Factor	QK Dir Facto	AAWDT	QW	Year
Town of Wytheville														
O 0 1 01	0.54	From	╙ू	000/	00/	4th S		00/			0.000	4000	_	0017
5256 Spring St	0.54	1500	G	98%	0%		% 0%	0%	F	0.1	0.606	1600	G	2017
						11th :								
Torough Ct	0.00	From	<u> </u>	000/	00/	Main 10/ 1		00/		0.100	0.570	1600	_	2017
₅₂₅₇ Tazewell St	0.06	1500 _{тс}	G	98%	0%		% 0%	0%	F	0.108	0.570	1600	G	2017
		From				Monroe				_				
(5258) Monroe St	0.31	3100	G	98%	0%	12th St U	% 1%	0%	F	0.105	0.513	3400	G	2017
Monroe St	0.51	3100 To		30 /6	0 78	4th St U		0 /6		0.103	0.510	3400	a	2017
		Fron				US 21 4								
5258) Monroe St	0.19	5700	G	98%	0%	1% 0	% 1%	0%	F	0.102	0.564	6200	G	2017
		To	С			1st Str								
<u> </u>	0.45	From	<u> </u>	000/	00/	N 1st St		00/			0.544	0000	0	0017
5258 Monroe St	0.15	5800	G	98%	0%		% 1%	0%	F	0.095	0.544	6300	G	2017
		From				N 5th 5th S								
5258) Monroe St	0.19	5800	G	98%	0%		% 1%	0%	F	0.094	0.556	6300	G	2017
		Tr	_											
5258) Peppers Ferry Rd	0.46	6800 From	G	98%	0%	11th :	<u>st</u>  % 1%	0%	С	0.087	0.509	7400	G	2017
Peppers Ferry Rd	0.40	5500		JU /0	J /0			0 /0		0.007	0.508	7 +00	J	2017
Danner Francis	0.50	From	<u> </u>	000/	00/	Cove l		00/			0.510	0700		0017
Peppers Ferry Rd	0.59	6200	G	98%	0%	1% 0	% 1%	0%	F	0.09	0.519	6700	G	2017
<u> </u>		From				Ramp from								
₅₂₅₈ Peppers Ferry Rd	0.21	2900	N	98%	0%	1% 0	% 1%	0%	N	0.099	0.562	3200	N	2017
$\smile$		T _e From				Ramp to	I-77			$\neg$ —				
5258) Peppers Ferry Rd	0.53	2900	G	98%	0%	1% 0	% 1%	0%	F	0.099	0.562	3200	G	2017
		Te	r			ECL Wytl	heville							
		Fron	r			Peppers Fe	erry Rd							
5258) Ramp	0.29	2600	G							0.066		2600	G	2017
$\bigcirc$		To	ю			I-77 Sc	outh							
		From				Peppers Fe	erry Rd							
5258) Ramp	0.18	2300	G							0.091		2300	G	2017
<u> </u>		To	С			I-77 No	orth							
		Fron	r			Main St U	JS 11							
5260) 12th St	0.29	2200	G	98%	0%	0% 0	% 0%	0%	F	0.111	0.548	2400	G	2017
$\bigcup$		To	С			Union								
O Union Ct	0.00	From		000/	00/	12th 3		00/			0.54	0400	0	0017
5260 Union St	0.30	1900	G	98%	0%	0% 0	% 0%	0%	F	0.116	0.51	2100	G	2017
		Fron	2			4th S								
5260) Withers St	0.56	2700	G	98%	0%		% 0%	0%	С	0.094	0.526	2900	G	2017
		To	1			11th :				<u></u> L				
$\overline{}$		From				Marsha								
₅₂₆₁ ) 4th St	0.31	2100	G	96%	1%	1% 1	% 1%	0%	F	0.11	0.58	2300	G	2017
		T _e Fron				Wither	s St			$\Box$				
5261) 4th St	0.30	2000	G	96%	1%		% 1%	0%	F	0.103	0.534	2200	G	2017
$\bigcirc$		Te	,			US 11 M	ain St							
		From				4th S	St							
5262) Marshall St	0.91	1400	G	96%	1%	1% 1	% 1%	0%	С	0.112	0.598	1500	G	2017
$\overline{}$		To	c	_	_	Main St U	JS 11							
		From				US 11 Lee I	Highway							
5264) Pine St	0.38	3900	G	99%	0%		% 0%	0%	С	0.095	0.549	4200	G	2017
$\bigcirc$		To				US 21 4	th St							
5264) Pine St	0.44	400 From	G	99%	0%		% 0%	0%	F	0.118	0.6	440	G	2017
3204)	J. 1 1	To	<u> </u>	-0/0	2 / 0	Fisher		0,0	-		0.0		<u>_</u>	
		From				Franklin				$\overline{}$				
10th St		140	G			r TallKliff	Jucci			0.163	0.512	140	G	2017
100100		To				Washington	n Street				0.012	. 170	<b>J</b>	_0.7
			-			asimigto								

						,									
Length	AADT	QA	4Tire	Bus					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						Spring St								_	
	100	G								<u>0.</u> 126		0.677	110	G	2017
	Tr				F	ranklin St									
	Fron				R	idge Street									
	370	G								0.164		0.546	370	G	2017
	To	1			Res	ervoir Street									
	From	1			W	schington St									
	700	G			****	isinington ot				0 143		0.616	760	G	2017
	To	Ť			1	Withors St						0.010	700	<u> </u>	2017
										_					
						11th St						0.570	000	•	004
	760	G								0.109		0.579	830	G	2017
	To	1				13th St									
	Fron					5th St									
	130	G								0.167		0.721	140	G	2017
	To					3rd St									
	From	-				US 21									
	3000	G	99%	1%	0%		0%	0%	С	0.102		0.606	3000	G	2017
	To	Ť	2370	. , ,								2.200	2300	٥.	
	Length	100 To From 700 To From 760	100 G To  From  370 G To  From  700 G To  From  760 G To  From  130 G To  From:  From:	100 G Try  From:  370 G To  From:  700 G To  From:  760 G To  From:  130 G To	From   100 G   To   From   370 G   To   From   700 G   To   From   760 G   To   From   130 G   To   From   130 G   To   From   F	Length   AADT   QA   4Tire   Bus   2Axis   2	Length   AADT   QA   4Tire   Bus   Spring St	Length   AADT   QA   4Tire   Bus     Caxle 3+Axle 1Trail	Length   AADT   QA   4Tire   Bus     Spring St     Spring St   Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St     Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   Spring St   S	Continue	Length   AADT   QA   4Tire   Bus     Caxle 3+Axle 1Trail 2Trail   QC   Factor	Length   AADT   QA   4Tire   Bus	Length   AADT   AADT   QA   4Tire   Bus	Length   AADT   QA   4Tire   Bus	Length   AADT   QA   4Tire   Bus