

2019
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Special Locality Report

105

Town of Clifton Forge

Information in this report is included in Report

03

(Alleghany County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source








Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

-  Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2019
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Clifton Forge

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|-------|---|-----------------------|--------------|-------------|----------|-----|---|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| | From: WCL Clifton Forge | | | | | | | | | | | | | | | |
| | Town of Clifton Forge (Maint: 03) | 1.55 | | | | | See I-64 for directional traffic volume estimates for this segment. | | | | | | | | | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 12000 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.083 | F | 0.505 | 12000 | G |
| | To: ECL Clifton Forge | | | | | | | | | | | | | | | |
| | Ridgeway St | Town of Clifton Forge | 0.27 | 8200 | G | 99% | 1% | 0% | 0% | 0% | F | 0.095 | F | 0.524 | 8800 | G |
| | From: 6th St | | | | | | | | | | | | | | | |
| | Ridgeway St | Town of Clifton Forge | 0.61 | 8000 | G | 99% | 1% | 0% | 0% | 0% | C | 0.098 | F | 0.514 | 8500 | G |
| | From: Roxbury St | | | | | | | | | | | | | | | |
| | Ridgeway St | Town of Clifton Forge | 0.14 | 6900 | G | 99% | 1% | 0% | 0% | 0% | F | 0.083 | F | 0.595 | 7300 | G |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 7800 | G | 98% | 1% | 0% | 0% | 0% | 0% | F | 0.090 | F | 0.531 | 8300 | G |
| | From: Commercial Ave | | | | | | | | | | | | | | | |
| | Ridgeway St | Town of Clifton Forge | 0.07 | 6900 | N | 99% | 1% | 0% | 0% | 0% | N | 0.083 | F | 0.595 | 7300 | N |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 8000 | N | 98% | 1% | 0% | 0% | 0% | 0% | N | 0.090 | F | 0.531 | 8500 | N |
| | From: Bus US 220 Main St | | | | | | | | | | | | | | | |
| | Main St | Town of Clifton Forge | 0.26 | 6200 | G | 98% | 1% | 0% | 0% | 0% | C | 0.096 | F | 0.536 | 6600 | G |
| | From: Bus US 220 Ridgeway St | | | | | | | | | | | | | | | |
| | Main St | Town of Clifton Forge | 0.06 | 6200 | G | 98% | 1% | 0% | 0% | 0% | F | 0.095 | F | 0.535 | 6600 | G |
| | From: B St | | | | | | | | | | | | | | | |
| | | Town of Clifton Forge | 0.87 | 5200 | G | 99% | 0% | 0% | 0% | 0% | C | 0.091 | F | 0.524 | 5500 | G |
| | From: US 220 Bus | | | | | | | | | | | | | | | |
| | To: ECL Clifton Forge | | | | | | | | | | | | | | | |
| | Roxbury St | Town of Clifton Forge | 0.05 | 2200 | G | 97% | 1% | 1% | 0% | 1% | F | 0.098 | F | 0.679 | 2300 | G |
| | Combined Traffic Estimates for Parallel Roadways on this Route: | | NA | | | | | | | | | NA | | NA | | |
| | From: Kesswick St | | | | | | | | | | | | | | | |
| | Kesswick St | Town of Clifton Forge | 0.14 | 860 | G | 97% | 1% | 1% | 0% | 1% | C | 0.111 | F | | 920 | G |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 7800 | G | 98% | 1% | 0% | 0% | 0% | 0% | F | 0.090 | F | 0.530 | 8300 | G |
| | From: Main St | | | | | | | | | | | | | | | |
| | Main St | Town of Clifton Forge | 0.07 | 1100 | G | 97% | 1% | 1% | 0% | 1% | F | 0.101 | F | | 1200 | G |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 8000 | N | 98% | 1% | 0% | 0% | 0% | 0% | N | 0.091 | F | 0.539 | 8500 | N |
| | From: Ridgeway Street | | | | | | | | | | | | | | | |
| | Town of Clifton Forge (Maint: 03) | 1.55 | 6800 | G | 77% | 1% | 1% | 1% | 20% | 0% | F | 0.091 | F | | 6400 | G |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 12000 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.083 | F | 0.505 | 12000 | G |
| | To: ECL Clifton Forge | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2019
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Clifton Forge

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|------------------------------------|---|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| West 64 60 220 | From: WCL Clifton Forge | | | | | | | | | | | | | | | |
| | Town of Clifton Forge (Maint: 03) | 1.55 | 5500 | G | 75% | 1% | 1% | 1% | 22% | 0% | F | 0.073 | F | 5300 | G | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 12000 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.083 | F | 12000 | G | |
| | To: ECL Clifton Forge | | | | | | | | | | | | | | | |
| 188 Bus 60 Bus 220 188 Main St | From: Ridgeway St | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.07 | 1100 | G | 97% | 1% | 1% | 0% | 1% | 0% | F | 0.101 | F | 1200 | G | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 8000 | N | 98% | 1% | 0% | 0% | 0% | 0% | N | 0.091 | F | 8500 | N | |
| | To: Keswick St | | | | | | | | | | | | | | | |
| 188 Main St | From: US 60 Par, Keswick St | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.05 | 260 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.133 | F | 270 | G | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 1700 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.105 | F | 1800 | G | |
| | To: McCormick Blvd | | | | | | | | | | | | | | | |
| 188 McCormick Blvd | From: Main St | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.07 | 260 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.128 | F | 270 | G | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 1400 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.091 | F | 1500 | G | |
| | To: SR 188 Par, Church St | | | | | | | | | | | | | | | |
| 188 McCormick Blvd | From: Lafayette St | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.23 | 620 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.101 | F | 660 | G | |
| | To: McCormick Blvd | | | | | | | | | | | | | | | |
| 188 Lafayette St | From: Rose Ave | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.07 | 230 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.118 | F | 240 | G | |
| | To: Lafayette St | | | | | | | | | | | | | | | |
| 188 Rose Ave | From: Tremont St | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.22 | 560 | G | 97% | 1% | 1% | 1% | 0% | 0% | C | 0.101 | F | 600 | G | |
| | To: Rose Ave | | | | | | | | | | | | | | | |
| 188 Tremont St | From: Sioux Ave | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.03 | 560 | G | 97% | 1% | 1% | 1% | 0% | 0% | C | 0.101 | F | 600 | G | |
| | To: Tremont St | | | | | | | | | | | | | | | |
| 188 Sioux Ave | From: 105-3551 Sioux Ave | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.17 | 560 | G | 97% | 1% | 1% | 1% | 0% | 0% | C | 0.101 | F | 600 | G | |
| | To: Main St | | | | | | | | | | | | | | | |
| 188 Bus 60 Bus 220 188 Ridgeway St | From: Bus US 60 Commercial Ave | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.07 | 6900 | N | 99% | 1% | 0% | 0% | 0% | 0% | N | 0.083 | F | 7300 | N | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 8000 | N | 98% | 1% | 0% | 0% | 0% | 0% | N | 0.090 | F | 8500 | N | |
| | To: Bus US 60, Bus US 220, E Ridgeway St | | | | | | | | | | | | | | | |
| 188 Commercial Ave | From: Bus US 60 Par, Bus US 220 Par, Main Street | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.05 | 950 | G | 99% | 0% | 0% | 1% | 0% | 0% | F | 0.105 | F | 1000 | G | |
| | Combined Traffic Estimates for Parallel Roadways on this Route: | | NA | | | | | | | | | NA | | NA | | |
| | To: Church Street | | | | | | | | | | | | | | | |
| 188 Commercial Ave | From: Church Street | | | | | | | | | | | | | | | |
| | Town of Clifton Forge | 0.06 | 1400 | G | 99% | 0% | 0% | 1% | 0% | 0% | F | 0.106 | F | 1500 | G | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 1700 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.105 | F | 1800 | G | |

Virginia Department of Transportation
 Traffic Engineering Division
 2019
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Clifton Forge

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|-----------------------------------|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| | From: Commercial Ave | | | | | | | | | | | | | | | |
| 188 Church St | Town of Clifton Forge | 0.07 | 1200 | G | 99% | 0% | 0% | 1% | 0% | 0% | C | 0.089 | F | 0.566 | 1200 | G |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 1400 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.091 | F | 0.504 | 1500 | G |
| | To: SR 188 McCormick Blvd | | | | | | | | | | | | | | | |
| | From: ECL Clifton Forge | | | | | | | | | | | | | | | |
| 220 64 60 | Town of Clifton Forge (Maint: 03) | 1.55 | | | | | | | | | | | | | | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 12000 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.083 | F | 0.505 | 12000 | G |
| | To: WCL Clifton Forge | | | | | | | | | | | | | | | |
| | From: SCL Clifton Forge | | | | | | | | | | | | | | | |
| Bus 220 Verge Street | Town of Clifton Forge | 0.70 | 1900 | G | 98% | 1% | 1% | 0% | 1% | 0% | C | 0.096 | F | 0.512 | 2000 | G |
| | From: Bus US 60 | | | | | | | | | | | | | | | |
| Bus 220 60 Main St | Town of Clifton Forge | 0.06 | 6200 | G | 98% | 1% | 0% | 0% | 0% | 0% | F | 0.095 | F | 0.535 | 6600 | G |
| | From: B ST | | | | | | | | | | | | | | | |
| Bus 220 60 Main St | Town of Clifton Forge | 0.26 | 6200 | G | 98% | 1% | 0% | 0% | 0% | 0% | C | 0.096 | F | 0.536 | 6600 | G |
| | From: Ridgeway St | | | | | | | | | | | | | | | |
| Bus 220 60 188 188 Main St | Town of Clifton Forge | 0.07 | 1100 | G | 97% | 1% | 1% | 0% | 1% | 0% | F | 0.101 | F | | 1200 | G |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 8000 | N | 98% | 1% | 0% | 0% | 0% | 0% | N | 0.091 | F | 0.539 | 8500 | N |
| | To: Keswick St | | | | | | | | | | | | | | | |
| | From: Main St | | | | | | | | | | | | | | | |
| Bus 220 60 Kesswick St | Town of Clifton Forge | 0.14 | 860 | G | 97% | 1% | 1% | 0% | 1% | 0% | C | 0.111 | F | | 920 | G |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 7800 | G | 98% | 1% | 0% | 0% | 0% | 0% | F | 0.090 | F | 0.530 | 8300 | G |
| | To: Roxbury St | | | | | | | | | | | | | | | |
| | From: Keswick St | | | | | | | | | | | | | | | |
| Bus 220 60 Roxbury St | Town of Clifton Forge | 0.05 | 2200 | G | 97% | 1% | 1% | 0% | 1% | 0% | F | 0.098 | F | 0.679 | 2300 | G |
| Combined Traffic Estimates for Parallel Roadways on this Route: | | | NA | | | | | | | | | NA | | NA | | |
| | To: Ridgeway St | | | | | | | | | | | | | | | |
| | From: Roxbury St | | | | | | | | | | | | | | | |
| Bus 220 60 Ridgeway St | Town of Clifton Forge | 0.61 | 8000 | G | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.098 | F | 0.514 | 8500 | G |
| | To: 6th St | | | | | | | | | | | | | | | |
| Bus 220 60 Ridgeway St | Town of Clifton Forge | 0.27 | 8200 | G | 99% | 1% | 0% | 0% | 0% | 0% | F | 0.095 | F | 0.524 | 8800 | G |
| | To: WCL Clifton Forge | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2019
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Clifton Forge

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|------------------------------|--------|------|-----------------------------------|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Clifton Forge | | | | | | | | | | | | | | | | |
| (F206) | 0.05 | 150 | R | | | | | | | | NA | | | NA | | 06/16/2014 |
| | | | From: Dead End | | | | | | | | | | | | | |
| | | | To: Dead End | | | | | | | | | | | | | |
| (F207) Holly Hill Rd | 0.34 | 30 | R | | | | | | | | NA | | | NA | | 10/16/2017 |
| | | | From: 105-3551 Sioux Ave | | | | | | | | | | | | | |
| | | | To: Dead End | | | | | | | | | | | | | |
| (3550) Church St | 0.12 | 1600 | G | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.087 | F | 0.673 | 1700 | G | 2019 |
| | | | From: ISR 188-P Commercial Street | | | | | | | | | | | | | |
| | | | To: 105-3553 Jefferson Ave | | | | | | | | | | | | | |
| (3550) Church St | 0.33 | 1400 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.09 | F | 0.724 | 1500 | G | 2019 |
| | | | From: Jefferson St | | | | | | | | | | | | | |
| | | | To: A Street | | | | | | | | | | | | | |
| (3551) Sioux Ave | 0.25 | 470 | G | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.105 | F | 0.585 | 500 | G | 2019 |
| | | | From: SR 188; I-64 | | | | | | | | | | | | | |
| | | | To: NCL Clifton Forge; 03-606 | | | | | | | | | | | | | |
| (3553) Jefferson Ave | 0.06 | 1800 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.098 | F | 0.588 | 1900 | G | 2019 |
| | | | From: US 60 Main St | | | | | | | | | | | | | |
| | | | To: Church Street | | | | | | | | | | | | | |
| (3553) Jefferson Avenue | 0.21 | 1900 | G | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.094 | F | 0.572 | 2000 | G | 2019 |
| | | | From: Church St | | | | | | | | | | | | | |
| | | | To: Lowell St | | | | | | | | | | | | | |
| (3553) Jefferson Avenue | 0.15 | 1600 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.094 | F | 0.608 | 1700 | G | 2019 |
| | | | From: Lowell St | | | | | | | | | | | | | |
| | | | To: Kensington Ave | | | | | | | | | | | | | |
| (3553) Jefferson Avenue | 0.31 | 1300 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.093 | F | 0.519 | 1300 | G | 2019 |
| | | | From: Kensington Ave | | | | | | | | | | | | | |
| | | | To: Benton St | | | | | | | | | | | | | |
| (3553) Jefferson Avenue | 0.09 | 1000 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.098 | F | 0.514 | 1100 | G | 2019 |
| | | | From: Benton St | | | | | | | | | | | | | |
| | | | To: Ingalls St | | | | | | | | | | | | | |
| (3555) Ingalls St | 1.15 | 530 | G | 98% | 2% | 0% | 0% | 0% | 0% | C | 0.095 | F | 0.518 | 560 | G | 2019 |
| | | | From: Main Street | | | | | | | | | | | | | |
| | | | To: Jefferson Ave | | | | | | | | | | | | | |
| A St | | 1200 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.089 | F | 0.744 | 1200 | G | 2019 |
| | | | From: Church St | | | | | | | | | | | | | |
| | | | To: US 60 | | | | | | | | | | | | | |
| Alleghany St | | 140 | G | | | | | | | | 0.125 | F | 0.556 | 140 | G | 2019 |
| | | | From: 3rd St | | | | | | | | | | | | | |
| | | | To: 2nd St | | | | | | | | | | | | | |
| Chestnut St | | 270 | G | | | | | | | | 0.127 | F | 0.575 | 270 | G | 2019 |
| | | | From: Oak Hill Avenue | | | | | | | | | | | | | |
| | | | To: ECL Clifton Forge | | | | | | | | | | | | | |
| Church St | | 1800 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.096 | F | 0.619 | 1800 | G | 2019 |
| | | | From: Rose Ave | | | | | | | | | | | | | |
| | | | To: McCormick Blvd | | | | | | | | | | | | | |
| Commercial Avenue | | 240 | G | | | | | | | | 0.117 | F | 0.567 | 240 | G | 2019 |
| | | | From: Revere St | | | | | | | | | | | | | |
| | | | To: I-64 | | | | | | | | | | | | | |
| Jefferson Ave | | 550 | G | | | | | | | | 0.1 | F | 0.560 | 550 | G | 2019 |
| | | | From: Ingalls St | | | | | | | | | | | | | |
| | | | To: Jackson Street | | | | | | | | | | | | | |
| Madison Ave | | 2400 | G | 96% | 1% | 1% | 0% | 2% | 0% | C | 0.093 | F | 0.529 | 2400 | G | 2019 |
| | | | From: Park St | | | | | | | | | | | | | |
| | | | To: Douglas St | | | | | | | | | | | | | |
| Oak Hill Avenue | | 1200 | G | | | | | | | | 0.106 | F | 0.574 | 1200 | G | 2019 |
| | | | From: US 60 | | | | | | | | | | | | | |
| | | | To: Chestnut Street | | | | | | | | | | | | | |
| Rose Ave | | 1300 | G | | | | | | | | 0.090 | F | 0.539 | 1300 | G | 2019 |
| | | | From: Church St | | | | | | | | | | | | | |
| | | | To: Lafayette St | | | | | | | | | | | | | |